# New Hampshire Department of Transportation

Bureau of Environment

Wetlands Permit Process
Manual

Introduction	2
Section I—The Permit Application	3
Chapter 1—Permit Classification	
Primary Classification Categories	3
Table 1: Classification criteria for minimum, minor, and major projects	4
Additional Permit Categories	5
Routine Roadway and Railway Maintenance Activities	5
Permit by Notification	
Minimum Impact Expedited	6
Emergency Permits	7
Amendments	7
Army Corp of Engineers	7
State Programmatic General Permit	7
ACOE Individual Permit	7
Application Forms	8
Example: Standard Dredge and Fill Application Form	8
Example: Notification of Routine Roadway Maintenance Form	10
Example: Permit By Notification Form	12
Example: Minimum Impact Expedited Application Form	14
Chapter 2—Wetlands Permit Application	16
The Application Package	
The Application Package—Examples	18
Example: Permit Application #1	20
Example: Permit Application #2	33
Chapter 3—Application Distribution	49
Distribution of the Permit Application	
Table 2: Required Copies of Application Package	50
Cover Letters	51
Example: NHWB Cover Letter	51
Example: Town Clerk Cover Letter	
Chapter 4—Database	
Chapter 5—Final Steps	56
Section II—The Permit	57
Chapter 1—Permit Details	57
Chapter 2—Permit Distribution	
Example: Permit Distribution Checklist	59
Example: NHWB Wetlands Permit	60
Chapter 3—Permit Amendments	
Section III—Special Considerations for Classifying Permits	
Chapter 1—Designated Rivers.	
Chapter 2—Prime Wetlands	
Chapter 3—Essential Fish Habitat	
Section IV—Glossary	70

#### Introduction

The NH Department of Environmental Services regulates any work that is conducted in wetlands. Jurisdictional areas include tidal and nontidal wetlands and surface waters, and, in general, can be considered areas "wherever the tide ebbs and flows" or "freshwater flows or stands". More specifically, tidal jurisdiction consists of submerged lands, salt marsh, sand dunes, and tidal flats, as well as the upland tidal buffer zone. Non-tidal jurisdiction consists of freshwater wetlands, including swamps, marshes, and bogs, and surface waters, including lakes, ponds, rivers, perennial streams, and intermittent streams. The limit of jurisdiction adjacent to surface waters is the top of the bank.

Pursuant to RSA 482-A:3, "no person shall excavate, remove, fill, dredge, or construct any structures in or on any bank, flat, marsh, or swamp in and adjacent to any waters of the state without a permit" from the New Hampshire Wetlands Bureau (NHWB) of the Department of Environmental Services. The entire RSA can be viewed at <a href="http://gencourt.state.nh.us/rsa/html/L/482-A/482-A-3.htm">http://gencourt.state.nh.us/rsa/html/L/482-A/482-A-3.htm</a>.

The NH Department of Transportation (NHDOT) often impacts NHWB jurisdictional areas while conducting roadway construction and maintenance projects, and must apply for a permit from the NHWB for each project that has wetland impacts. Once the expected wetland impacts of a construction or maintenance project are determined, the project's engineer/manager completes the appropriate application form and compiles the required application materials. The application package is first sent to the NHDOT Bureau of Environment (BOE), where it is reviewed, processed, and then submitted to the NHWB. The BOE is also responsible for the distribution of permits once they are received from the NHWB.

This manual is meant to serve as a guide for processing NHWB permit applications and permits within the BOE. Section I of this manual is an explanation of the steps involved in processing permit applications. Each chapter in this section is presented in the order in which the steps should be completed once an application package is received by the BOE. Section II provides an explanation of what is done within the BOE once a NHWB wetlands permit is received. Sections III and IV provide more detailed information about subjects and terms mentioned throughout the manual.

# Section I—The Permit Application

### Chapter 1—Permit Classification

#### Primary Classification Categories

Projects that require a wetlands permit need to be classified according to their total potential impact on NHWB jurisdictional areas. The principal classification categories are minimum, minor, and major. While the primary determination for classification is total wetland impacts, there are other considerations that may change a project's classification. Part Wt 303 of the NHWB Administrative Rules discusses the classification of projects in detail: <a href="http://www.des.state.nh.us/Rulemaking/adopted">http://www.des.state.nh.us/Rulemaking/adopted</a> 2005/Wt\_200-800.pdf. A summary of the classification scheme as it relates to NHDOT projects can be found on the following page (Table 1).

Projects that are classified as minimum, minor, or major require a Standard Dredge and Fill application form. NHDOT uses a version of the Standard Dredge and Fill form that was created specifically for the Department. This form has "NHDOT version" in the lower left corner and can be found at G:\BUR16\Wetlands\Wetland Applications\.

#### Table 1: Classification criteria for minimum, minor, and major projects

#### Minimum (Administrative Rule Wt 303.04):

- 0-3,000 square feet of impacts to wetlands and/or banks.
- < 50 linear feet of impacts to the shoreline and/or bank of a lake or pond.</p>
- < 50 linear feet of impacts to the channel of an intermittent stream, provided the work is done during periods of no flow.</p>
- No work within public waters.
- No work within a perennial stream.
- Any work within previously developed Tidal Buffer Zone.

#### Minor (Administrative Rule Wt 303.03):

- 3,001 20,000 square feet of impacts to wetlands and/or banks.
- 50 200 linear feet of impacts to the shoreline and/or bank of a lake or pond, or to the channel of an intermittent stream.
- < 200 linear feet of impacts to the channel and/or banks of a perennial stream or river.</p>
- Removal of 0 20 cubic yards of fill from public water.
- Any work within 50 feet of a salt marsh if the work does not meet the criteria for a major project.

#### Major (Administrative Rule Wt 303.02):

- > 20,000 square feet of impacts to wetlands and/or banks.
- > 200 linear feet of impacts to the shoreline and/or bank of a lake or pond, or to the channel of an intermittent stream, or to the channel and/or banks of a perennial stream or river.
- Removal of >20 cubic yards of fill from public water.
- Fill in public waters for the purpose of making land.
- Any work in or within 100 feet of a Prime Wetland (see Section 3).
- Any work within the Tidal Buffer Zone that alters any bank, flat, wetlands, surface water, or undeveloped uplands, except for repair of existing structures.
- Any work in a bog, sand dune, or tidal wetland, except for repair of existing structures.
- Any work within areas identified by the NH Natural Heritage Bureau as containing exemplary natural communities, and/or that have documented occurrences of state or federally listed endangered or threatened species.

### Additional Permit Categories

Not all work conducted in NHWB jurisdiction is classified solely as a minimum, minor, or major project. Additional categories of permits are discussed below.

#### Routine Roadway and Railway Maintenance Activities

(Administrative Rule Wt 303.05q)

Any work that involves routine maintenance activities that are conducted in accordance with the manual *Best Management Practices for Routine Roadway Maintenance Activities in New Hampshire* does not require a Standard Dredge and Fill application. Instead, a Notification of Routine Roadway and Railway Maintenance Activities form can be submitted. More than one maintenance activity may be described on one form, as long as all activities submitted with one form are located in the same town.

The applicant sends this form directly to the NHWB and sends the BOE a copy. This form cannot be used for projects given emergency authorization. Work can begin five (5) days after sending the application.

There are five maintenance activities that may qualify as Routine Roadway and Railway Maintenance:

- 1) Culvert extensions at the same location
- 2) Culvert replacement and relocation
- 3) Embankment stabilization
- 4) Headwall repair, replacement, and construction
- 5) Roadside ditch maintenance (parallel to roadway)

Projects do not qualify for this category if they occur in a bog, marsh, sand dune, or undisturbed tidal buffer zone, in or adjacent to a prime wetland, or within ½-mile of a designated river. Refer to the Best Management Practices manual for additional conditions that must be met in order for each activity to qualify: <a href="http://www.nh.gov/dot/bureaus/environment/pdf/BMPManual.pdf">http://www.nh.gov/dot/bureaus/environment/pdf/BMPManual.pdf</a>.

The Notification of Routine Roadway and Railway Maintenance form should not be confused with the Permit by Notification form (see below).

#### Permit by Notification

(Administrative Rules PART Wt 506)

Certain minimum impact projects may be eligible for Permit by Notification (PBN), a streamlined permitting process. Such projects require a PBN form instead of the Standard Dredge and Fill form. The same attachments required for the Dredge and Fill application are required for the PBN application. The form is submitted to the BOE for processing. This form cannot be used for projects given emergency authorization.

In order for projects to be eligible for PBN, the proposed work cannot be in a bog, marsh, sand dune, or undisturbed tidal buffer zone, in any wetland identified by the Natural

Heritage Inventory as an exemplary natural community, or in or adjacent to prime wetlands. Activities not in these areas that may qualify for PBN include:

- 1) Maintenance dredging of nontidal drainage ditches, provided that the work does not exceed 20,000 square feet.
- 2) Maintenance, repair, or replacement of a non-docking structure such as a culvert, headwall, bridge, dam, residential utility line, or rip-rap slope of less than 50 linear feet, provided there is no change in location, configuration, construction type, or dimension.

For more information on these activities and PBN, refer to http://www.des.state.nh.us/wetlands/pbn/index.html.

After filing the PBN application, the project may begin after 10 days, provided the application contains a waiver of intervention (signature on application) from the Conservation Commission. If the application does not contain a waiver from the conservation commission, then the project may begin twenty-five (25) days after filing. If no correspondence is received from the NHWB within the allotted time, then the project may begin. A signed PBN form must be posted at the project site. Within ten (10) calendar days following completion of the project, the NHWB must be sent photographs that confirm the work was completed as planned.

If the NHWB disqualifies the project from the PBN process for any reason, the applicant must submit a Standard Dredge and Fill application with another filing fee. If the NHWB determines that the application is incomplete, a Notice of Incompleteness will be issued within the allotted time. If this notice is sent, the applicant gets one chance to correct all deficiencies. If the application is still found to be incomplete, the applicant must file again and pay another filing fee. For these reasons, **the BOE does not recommend using PBN.** 

Note: The Permit by Notification form should not be confused with the Notification of Routine Roadway and Railway Maintenance form.

#### Minimum Impact Expedited

(Administrative Rules PART Wt 505)

Certain minimum impact projects may qualify as Minimum Impact Expedited projects. These projects require the Minimum Impact Expedited application form instead of the Standard Dredge and Fill form (available at <a href="http://www.des.state.nh.us/wetlands/wetapps.htm">http://www.des.state.nh.us/wetlands/wetapps.htm</a>). A checklist of criteria for determining a project's eligibility is attached to the form. A signature from the town's Conservation Commission is required if this form is used; this form cannot be used if the town does not have a conservation commission. The form is submitted to the BOE for processing. The Minimum Impact Expedited form cannot be used for projects given emergency authorization.

Minimum Impact Expedited projects are given priority at the NHWB; therefore, in order to limit delays in the review of other permit applications, **Minimum Impact Expedited should be used only when absolutely necessary**.

#### **Emergency Permits**

(Administrative Rules PART Wt 503)

When emergency situations occur in NHWB jurisdiction, the NHWB must be contacted directly for emergency authorization before any work can be completed. An emergency, as defined in the NHWB Administrative Rules (Wt 503.01), is a situation that creates "a threat to public safety or public health" or "imminent significant damage to property", and has "occurred within 5 days of the request for emergency approval". In these cases, a *Standard Dredge and Fill* application package should be submitted to the BOE within 30 days following emergency authorization. This follow-up, or "after the fact", application should contain the same information as a typical application, in addition to the Emergency Authorization number and photographs of the completed work.

During a general or local disaster (i.e. significant flooding event), work without emergency authorization is allowed. The BOE should be contacted to determine, on a case-by-case basis, what information needs to be sent to the NHWB following the emergency.

#### **Amendments**

If additional wetland impacts are anticipated, and a permit application was already sent to the NHWB, an amendment to the permit application must be submitted. Application amendments should be completed using the same guidelines as the original application. The cover letter to the NHWB should describe additional impacts, original impacts, and total impacts. A new application form is not required. Amendments to a permit that has already been issued are discussed in Section II.

#### Army Corp of Engineers

#### State Programmatic General Permit

The United States Army Corps of Engineers (ACOE) has issued a general permit to the State of New Hampshire that eliminates the need to apply for a separate permit from the ACOE for most projects that impact areas in NHWB jurisdiction. This permit, the State Programmatic General Permit (SPGP), pertains to most projects for which a NHWB permit is required as long as impacts are less than three (3) acres. Under the SPGP agreement, the ACOE reviews all projects that have been approved by the NHWB, but confirmation of ACOE approval is not required for all projects. Approval procedures are discussed in more detail in Section 2 of this manual.

#### **ACOE** Individual Permit

Any work that will result in three acres or more of wetland impacts requires an Individual Permit from the ACOE. This permit is rarely required for NHDOT projects. If this permit is required, an ACOE application form should be submitted to both the ACOE and the NHWB (in place of the Standard Dredge and Fill Application).

## **Application Forms**

#### Example: Standard Dredge and Fill Application Form



# DEPARTMENT OF ENVIRONMENTAL SERVICES WETLANDS BUREAU

29 Hazen Drive PO Box 95 Concord, NH 03302-0095

Phone: (603) 271-2147 Fax: (603) 271-6588

web site: www.des.state.nh.us/wetlands email: wetmail@des.state.nh.us



#### STANDARD DREDGE AND FILL APPLICATION

Application for filling, dredging, or constructing structures under RSA 482-A and RSA 485-A:17

GENERAL INSTRUCTIONS: Type or print clearly; missing information will delay processing of your application!

1. NAME OF OWNER: State of New Hampshire, Department of Transportation

Last First Middle

MAULING ADDRESS:

	MAILING ADDRESS:				
		Street/Road/Box #	Town/City	State	Zip code
	TELEPHONE: (603)		FAX: (603)	EMAIL:	
2.	LOCATION OF PROP	OSED CONSTRUCTI	ON:		
	Street/road	d/highway		Town/City	
	TAX MAP #'s	LOT #'s	BLOCK	ζ#s	e e
3.	☐ IN, OR ☐ ADJACE	ENT TO:		W 02 17	an "X" in the appropriate box _(name of waterbody)
4.	☐ Freshwater marsh;	Swamp; Wet n	type(s): Salt Marsh; neadow; River; Pere	nnial stream;   Sease	d dune;
5.	Provide a description of	f your proposed project	t		
6.	Explain the need for the Bureau's jurisdiction. (u	e proposed project and use separate sheet if ne	how it has been designed to recessary).	minimize impact to are	eas within the DES Wetlands
7.	Desired Starting Date:_		Estimated Comple	etion Date:	
8.	AUTHORIZED AGEN	T:			
	MAILING ADDRESS:	Street/Road/Box #	Town/City	State	
	TELEPHONE: ( <u>603</u> )		FAX: ( <u>603</u> )	EMAIL:	-
Fo	r Internal Use				

NH DOT Version - March, 2005

check#

amount

Fee received:

1

date

File#

Rev 08/19/03

9. A	area, volumetric and/or linear impact onds, streams, wetlands, sand dunes,	of proposed work within	NH DES Wetlands Bureau juri	isdiction (e.g., lakes,
	The state of the s	within wetlands:		sa. ft.
a	Estimated area of permanent impacts	within non-wetland hank:		sq. ft.
b		within the unland portion of	the Tidal Buffer Zone:	sq. ft.
c d	Estimated area of temporary impacts:	within the apiana portion of		sq. ft.
e		vork:	sq. ft. (in N.H. Wetlands B	ureau jurisdiction).
f.	Estimated length of permanent impact	ets to banks:	and the second of the second o	π.
g	Estimated length of permanent impact	ets to channel:		π.
h		ic Waters		cu. yd.
i.	Final denosition of dredged material			
į.	Is proposed disposal site for dredged	material located in wetlands'	? □yes □no	N W WEN WINDS
k	. If a channel is to be constructed, or a	culvert or a bridge is to be in	istalled, give the distance the flow	of water is to be
	rerouted	ft.	2	c.
1.	rerouted If dock or similar structure: length:	ft.; width:_	ft.; total surfa	ce area of
	structures/impact:	sq. ft.		
n	a If waterfront project indicate total le	noth of shoreline frontage	1: 1: 6	II
n	If wall, rip-rap, beach, or similar pro	ject, indicate the proposed sh	oreline impact in: linear feet	, square feet
I s	SHORELINE STRUCTURES shall include fees charged a quare foot for requested seasonal docking the state of the state of the seasonal docking the state of the seasonal docking the seasonal docking the state of the seasonal docking the seasonal	t the rate of: \$0.10 per squing structure; and \$1.00 per uested impacts, not the final E BELOW CERTIFIES THAT vided, the REQUIRED INFO dard Dredge & Fill Application erstands Rule Wt 302.03 and popy of the application materical Conservation Commission RSA 482-A:11.	are foot for requested dredge or a square foot for requested permanulapproved impact.  AT:  DRMATION outlined in rule Wt 3 on";  has chosen the least impacting altials to the NH State Historic Present, if any, to inspect the site in order and that the information is, to be falsified or misrepresentative in	fill impacts; \$0.50 per nent docking structure. 802.04 and listed on the ternative; rvation Officer; der to provide comment nis/her knowledge, true
signa	ature of owner	print owner name		date
sign	ature of authorized agent (if applicable	e) print agent name		date
mos	WN CLERK SIGNATURE. I here	by cartify that the applica	nt has filed five applications f	ive sets of supporting
10	WN CLERK SIGNATURE. There	N/A	as required by Chapter	482-A:3. and I have
mate	erials with the town/city of:ived and retained certified postal reco	oints (or copies) for all abi	utters identified by the applican	t
rece	ived and retained certified postal reco	elpis (of copies) for all aut	mers identified by the applican	
	N/A			
cian	N/A ature of town/city clerk		date	-
NH	DOT Version - March, 2005	2	Re	v 08/19/03

#### Example: Notification of Routine Roadway Maintenance Form



#### DEPARTMENT OF ENVIRONMENTAL SERVICES WETLANDS BUREAU

6 Hazen Drive PO Box 95 Concord, NH 03302-0095



# Web site: www.des.state.nh.us/wetlands email: wetmail@des.state.nh.us Notification of Routine Roadway and Railway Maintenance Activities

Please circle YES or NO to respond to each question. Bold-faced terms are defined on the attached page.

1. Will the proposed activity require disturbance in any wetland or surface water, on the bank of any surface water body, in uplands adjacent to a municipally designated prime wetland, or in a sand dune, flat, or undisturbed tidal buffer zone?	Yes	No
If you answered NO, you do not need to file this form or any other wetlands application. If you answered YES, continue.		
2. Will the proposed activity impact a bog, marsh, sand dune, flat, tidal wetland, undisturbed tidal buffer zones, a wetland or species identified in the Natural Heritage Inventory, or is the proposed activity in or adjacent to designated prime wetlands or within a quarter mile of a N.H. designated river?	Yes	No
If you answered YES, you must file a different wetlands application and no work in the above until a permit is received. If you answered NO, continue to question 3 and 4.	areas maj	v begin
3. Will the work be conducted in the dry, either at low water periods or behind temporary diversions described in BMP #11 in Best Management Practices for Routine Roadway Maintenance Activities in New Hampshire?	Yes	No
4. If you are proposing to dredge roadside ditches, do the ditches have all three of the following characteristics: they are manmade, they run parallel with the roadway and they have a defined channel and banks?	Yes	No
If you answered NO to question 3 or 4, you must file a different wetlands application and no jurisdictional area can begin until a permit is received. If you answered YES, continue to que	work in a	
	estion 5.	
	Yes	No
5. Will the proposed activity include any of the following:		No No
<ul> <li>5. Will the proposed activity include any of the following:</li> <li>a) Extending an existing culvert more than 10 feet at the inlet or outlet?</li> <li>b) Replacing a culvert larger than 36 inches in diameter, or increasing the diameter more than 50%, or increasing the diameter to more than 36 inches?</li> <li>c) Relocating or skewing (realigning) an existing culvert such that <ul> <li>the distances from the old location of the inlet to the new location of the inlet, added to the distance from the old location of the outlet to the new location of the outlet, total more than 50 linear feet; or</li> <li>the total length of seasonal streambed channel to be filled (including riprap at outlet) is more than 50 linear feet measured along the thread of the channel; or</li> </ul> </li> </ul>	Yes	
<ul> <li>5. Will the proposed activity include any of the following:</li> <li>a) Extending an existing culvert more than 10 feet at the inlet or outlet?</li> <li>b) Replacing a culvert larger than 36 inches in diameter, or increasing the diameter more than 50%, or increasing the diameter to more than 36 inches?</li> <li>c) Relocating or skewing (realigning) an existing culvert such that <ul> <li>the distances from the old location of the inlet to the new location of the inlet, added to the distance from the old location of the outlet to the new location of the outlet, total more than 50 linear feet; or</li> <li>the total length of seasonal streambed channel to be filled (including riprap at outlet) is more than 50 linear feet measured along the thread of the channel; or</li> <li>the culvert being skewed (realigned) is in a perennial stream.</li> </ul> </li> </ul>	Yes Yes	No
<ul> <li>5. Will the proposed activity include any of the following:</li> <li>a) Extending an existing culvert more than 10 feet at the inlet or outlet?</li> <li>b) Replacing a culvert larger than 36 inches in diameter, or increasing the diameter more than 50%, or increasing the diameter to more than 36 inches?</li> <li>c) Relocating or skewing (realigning) an existing culvert such that <ul> <li>the distances from the old location of the inlet to the new location of the inlet, added to the distance from the old location of the outlet to the new location of the outlet, total more than 50 linear feet; or</li> <li>the total length of seasonal streambed channel to be filled (including riprap at outlet) is more than 50 linear feet measured along the thread of the channel; or</li> <li>the culvert being skewed (realigned) is in a perennial stream.</li> </ul> </li> </ul>	Yes Yes	No No
<ul> <li>5. Will the proposed activity include any of the following:</li> <li>a) Extending an existing culvert more than 10 feet at the inlet or outlet?</li> <li>b) Replacing a culvert larger than 36 inches in diameter, or increasing the diameter more than 50%, or increasing the diameter to more than 36 inches?</li> <li>c) Relocating or skewing (realigning) an existing culvert such that <ul> <li>the distances from the old location of the inlet to the new location of the inlet, added to the distance from the old location of the outlet to the new location of the outlet, total more than 50 linear feet; or</li> <li>the total length of seasonal streambed channel to be filled (including riprap at outlet) is more than 50 linear feet measured along the thread of the channel; or</li> <li>the culvert being skewed (realigned) is in a perennial stream.</li> </ul> </li> <li>d) Dredging roadside ditches that carry a perennial stream?</li> </ul>	Yes Yes Yes Yes Yes and no we	No No No No

05/15/03b

3

	DOT Maintenance District (sp	ecify):		9	State Agency (specify):			
	Municipality (specify):			1	Private owner of railway			
	Owner of private roadway			(	Other (specify):			11.00.000.000.000.000.000.000.000.000.0
Name	e of Authorized Representative:	Daytime	phone numbe	er:	Fax number		Email ad	Idress:
Stree	t mailing address or PO Box:		Mı	unici	ipality (Mailing Address	):	State	Zip code
7. P	rovide location(s) of the propose	ed activity(i	es) below. At	tach	separate sheets as neede	d.		
	t address(es) or nearest intersect	40 on 15	The second second	A - 600 200 11				
		.1011(3)	T		1 4 4 (f = i - t = t )			
	cipality		1 ax map a	and I	lot # (if private property)			
wher	dictional area e work is proposed W k all that apply)	etland	Int	erm	ittent (seasonal) stream	10000	ame of wa oplicable:	ter body(ies), if
	Culvert Extension				Relocating an	Exi		ert
	Embankment Stabilization				Replacing Cu	-		
	Headwall Repair, Replacem	ent and Con	struction		Roadside Dite	ch M	laintenance	e
	9. Attach a copy of a USGS	topographi	c map (at its	origi	nal scale) with the propo	sed	location(s)	clearly identified.
	10. Attach sketches showing c Maintenance Activities in New	onstruction Hampshire	design (see m for examples a	anu and	al, Best Management Pro templates).	actic	es for Rou	tine Roadway
	11. Attach color photograph(s surrounding land, and waterbook					site(	s) showing	g existing structures,
12.	By signing below, the authoriz accurate and correct; 2) all wor Activities in New Hampshire; 3 been provided to the board of s municipality in which work is p	k will confo ) the conditi electmen (or	orm to Best Mo	anag Ilow	rement Practices for Rou ing page shall be follower	tine i	Roadway I copies of	Maintenance this Notification have
	Signature of authorized repres	entative			Date			
13.	Make three photocopies of this t		required attac	chme	ents, including map(s) an	d sk	etch(es)	
	Mail the original notification v st five (5) calendar days befor	with attachm	nents to NH D	ES V	Wetlands Bureau, PO Bo	x 95	, Concord,	
	Provide one photocopy to the mmission, (if there is one), at le Post one photocopy in a prom	east five (5)	calendar day	s be	efore work begins.	осор	y to the m	unicipal conservation

\*\*\*\* CONDITIONS \*\*\*\*
4

05/15/03b

### Example: Permit By Notification Form



# DEPARTMENT OF ENVIRONMENTAL SERVICES WETLANDS BUREAU

29 Hazen Drive PO Box 95 Concord, NH 03302-0095

Phone: (603) 271-2147 Fax: (603) 271-6588

Web site: www.des.nh.gov/wetlands Email: wetmail@des.state.nh.us

# Permit By Notification (PBN) Form

Please read the instructions and project-specific booklet(s) before proceeding to legibly complete this notification form.

1	Name of Property Own (last, first, middle initia		Owner Day		Owner Fax numb	er	Owner	Email address:
- 553			( )		( )			
	operty Owner (permaner PO Box	nt) mailing addro	ess	Town/City	Owner Mailing Add	ress)	State	Zip code
2	Name of Agent		Agent pho	ne number	Agent fax numb	er	Agent	Email address
Ag	ent Street mailing addre	ss or PO Box		Town/City	(Agent Mailing Addr	ess)	State	Zip code
3	Location(s) of the pr	oposed work						5,400
Str	eet address(es) or neares	st intersection(s)						
To	wn/City			Tax map		Lot	number(s)	
4	Resource where wor	k is proposed (	if your resou	rce is not lis	ted, contact DES fo	r guidar	ice):	
No	ntidal Wetland	Bank of surfa	ce water	Inter	mittent (seasonal)	Nam	e of water	r body, if applicable:
Tic	lal Wetland	Lake or pond	8	Peren river	nial stream or			
5	Provide a brief des	cription of all	proposed w	ork includin	g the size of the in	npact ar	rea in the	e resource:
6	I am filing notice of n and 506. I have obtai all of the standards ar	ny intent to carry ned a copy of the nd conditions co	out work the PBN proje	at meets the ct-specific bo	ooklet for each proje	N under	DES rule ed below.	es, Chapters Wt 302 I will comply with
D.		37.			be bookieus).			
1.1.	Resource where work is proposed (if your resource is Nontidal Wetland Bank of surface water body Lake or pond  Provide a brief description of all proposed work in  Permit By Notification (PBN) Project Types I am filing notice of my intent to carry out work that meet				: Projects 7-14 are g	grouped	in one be	ooklet for shoreline

Page 1 of 2

12-12-2003

7.	Your notification form wil			hout the fol	lowing required	d attachments:
Your	nust verify inclusion by checking	off each box belo	ow:			
	Tax map with property (and abu	tters' properties)	clearly identif	ied.		11 20 1
	Copy of a USGS topographic m	ap (at its origina	l scale) with th	e project loc	cation(s) clearly	identified.
	Copies of postal receipts verifyi		notified abutte	rs by certifie	ed mail.	
	Sketch plan of proposed project.	40040 0400 0	1. 20 6 6	1 1		
	Abutter agreement (only requir	ed if working wil	thin 20 feet of	abutter's pro	operty tine).	not area evicting
	Photographs clearly showing ex	isting condition of	of project area,	including th	Maunt an price	at color photographs
	structures, surrounding land, and	waterbody in or	adjacent to wo	ork location.	). Iviount or prin	it color photographs
	of proposed work site(s)on 8-1/2	X II paper.	he NILL DEC	Watlands Br	iraaii	
	\$100 filing fee (nonrefundable) r	nade payable to t	CAL CHANGE	wettands bt	l statements ar	nd signing below
8.	By initialing within the bla you are certifying that:	nk before each (	of the followin	g numbered	i statements, an	id signing below,
7 (	1) All information provided in thi	s PBN form is co	emplete and ac	curate.		
	2) I have obtained, read, and retain	ned a copy and a	gree to abide b	y the condit	ions and require	ments in the Project-
	Specific Booklet(s).					
	3) I certify that operations on this	site, if within pro	otected shorela	nd (see Defi	nitions), shall co	omply with
	minimum standards of RSA 483-	B, and that I have	e sufficient kno	wledge of th	ne minimum star	ndards to ensure
9	compliance, www.des.nh.gov/csp	a				
	4) I understand that completion o	f the PBN proces	s does not pred	clude DES fr	om taking enfor	cement action if
DES	later determines that I provided i	nisleading, incon	iplete, or false	information	or if I have faile	ed to follow criteria
or co	nditions.				2 1	6 .6 .
	5) I authorize the municipal conse	ervation commiss	sion to access t	he project si	te for the purpos	se of verifying
infor	mation contained in this form and	determining con	ipliance with the	he rules.		
	6) I understand that I may not pr	oceed with the v	work until:	· C:	tian (sianatura)	from the
	a) After 10 calendar days, if t	he PBN Form co	ntains a waive	r of interven	tion (signature)	from the
	Conservation Commission (or	if no CC, the loc	cal governing b	ody),	d the DDN Form	2 05
	<ul><li>b) After 25 calendar days, if</li><li>c) No work may proceed if</li></ul>	ne Conservation	Commission i	as flot signe	PRN process	1, 01
						7
	7) Within 10 calendar days follow	ving completion of	of the work, I v	will complete	e and submit a C	onfirmation of
8	Project Completion form to DES					
	Signature of owner			Date		
9.	CONSERVATION COM	MISSION (or go	overning body	if there is	no conservation	n commission). The
- Angra	signature below certifies th	at the municipal of	conservation co	ommission h	as reviewed this	application, and
	waives its right to intervene	e, pursuant to RS	A 482-A:11.			
Au	thorized Signature of Conservation C	ommission	Print Name			Date
	TOWN /CITY CLERK.	I hereby certify t	hat the applica	nt has filed	the original and	four copies of the
10.	application and required at	tachments with th	ne town/city of	f	0	and that I
	will be distributing those co	opies as required	by RSA 482-A	\:3, I.		
			*			
	Signature of Tow	n/City Clerk			Dat	te
	This Notification does not exemn	von from any of	her local, state	or federal p	ermits or requir	rements.
	Post one photocopy of the complete	ed and signed Pern	nit By Notificat	ion form in a	prominent location	on at the worksite.
	Permits are valid for five years from	n the date of the T	own/City Clerk	's signature a	nd are NOT trans	sferable to subsequent
	property owners.		d ppsi c		monte one form d	to be incomplete or
	No further correspondence will be	issued by DES unl	ess the PBN for	m and attach	ments are found t	o de incomplete di
- 55	inappropriate.  Work carried out in violation of an	v standard or cond	litione is subject	to enforceme	ent action	
E		Date received	Amount	Initials	Check date	DES File#
	received:	Date received	2.221236.2222	STATE OF THE STATE OF		

Page 2 of 2


#### Example: Minimum Impact Expedited Application Form



Revised 8/19/03

# NH DEPARTMENT OF ENVIRONMENTAL SERVICES WETLANDS BUREAU

6 Hazen Drive, PO Box 95 Concord, NH 03302-0095







#### **Minimum Impact Expedited Application**

INSTRUCTIONS: This document has three sections. Section One is the application form, to complete once you have read the other sections; Section Two is a checklist, to ensure you have assembled the appropriate documents. Section Three describes projects that meet the minimum impact criteria. Please review Section Three first to be sure you are submitting the correct application.\* If your project meets the criteria for a minimum impact project as outlined in Section Three, then complete all items in Sections One and Two. Please type or print clearly.

- \* Other applications available from the DES Wetlands Bureau:
- Notification Forms for Timber Harvesting for Forest Management, Trail Construction and Maintenance, and Seasonal Docks - Projects involving minimum impact timber harvesting for forest management purposes, trail construction or maintenance, or seasonal nontidal dock installation may be approved by notification using the appropriate notification form provided certain conditions are met.
- 2) Minimum Impact Agricultural Projects Application Permits for minimum impact agricultural projects may be obtained by developing plans in conjunction with the appropriate County Conservation District and submitting this form.
- 3) Standard Dredge And Fill Application Minor and Major impact projects (and some minimum impact projects) require this form.

#### SECTION ONE

. Name of OwnerLast		First			Middle Initial		
	Mailing Address:	Last		First		Middle Ini	tial
	Maining Address	Box # / Street		Town/City	State	Zip	code
	( )		( )				
	Daytime Telephone	e Number	Fax Number		Email		
	Location of Proposed Project:						
		Street #	Street/Road/Hig	ghway	Town/City	State	Zip code
	Т	ax Map Number:			Block/Lot Number:		
	Contractor or Agen	t:					
			Name of Cont	tact and Company	y Name (if any)		
	Box # / Street			Town/City	State	Zip	code
	BOX # / Street						
	( )		()				
	() Daytime Telephone	e Number	()_ Fax Number		Email		
	() Daytime Telephone	cription of your pro	posed project. In	eet):	of proposed wetland im	5 10 5	
	() Daytime Telephone Provide a brief desc	cription of your pro	posed project. In	eet):		5 10 5	
	Daytime Telephone Provide a brief descif applicable, the ar	cription of your pro nount of shoreline	posed project. In impact (in linear f	eet):	of proposed wetland im		
	Daytime Telephone Provide a brief descif applicable, the ar	cription of your pro nount of shoreline	posed project. In impact (in linear f	eet):	of proposed wetland im		
	( ) Daytime Telephone Provide a brief dess if applicable, the ar	cription of your pro nount of shoreline	posed project. In impact (in linear f	eet):	of proposed wetland im		
OF	Daytime Telephone Provide a brief descif applicable, the ar	cription of your pro mount of shoreline	posed project. In impact (in linear f	eet):	of proposed wetland im		

6. Please explain the purpose of, of DES Wetlands Bureau's jurisdiction		ed work and how	it has been designed to r	ninimize impacts within the
7. Name of Waterbody, as <i>listed</i>	on the U.S. Geological Su	rvey topographic	тар:	
If not listed on the map, plea.  unnamed lake or pond			s to the area of proposed ream  unnamed tribu	
8. Please check the box(es) which salt marsh bog perennial stream other (explain or description)	☐ tidal water ☐ freshwater marsh ☐ seasonal stream	n which work is sand dune swamp river		nest observable tideline
9. Length of shoreline frontage on	the property (linear feet):			
To determine the length of <b>shoreli</b> map) to the length of a straight line lengths are measured at the normal	e drawn between the two p	th of the natural reproperty boundaries	navigable shoreline (which ies at the shoreline edge,	th may be shown on the tax and divide by two. (Both
REQUIRED SIGNATURES				
work by certified mail; 2) plans at am aware that the work I am proposing to repair or replace was considered grandfathered (which predecessor statute RSA 483-A:1 construction type, and the structue existing structure in a condition somunicipal conservation to conduct	roposing may require add seither previously permitt is defined as having bee , I and has been installed re has not been abandon to that it is functional and	litional state, locked by the NH Wen in existence plant in the same locked, which means intact) (Wt 101.0	cal or federal permits; 4 fetlands Board or DES V prior to permit authority cation, with the same dis s the failure, for a perio	4) any structure which I am Wetlands Bureau or would be under RSA 482-A:3, I or its mensions, configuration, and d of 5 years, to maintain an
Signature of Owner or Authorized	Agent Print na	me legibly		Date
11. Conservation Commission. Tapplication, and: 1) waives accurately represent the pro Commission is not required application shall not be eligib	its right to intervene per posed project; and 3) had to sign. If Conservation	RSA 482-A:11; las no objection Commission de	2) believes that the app to permitting the pro- pes not sign this statemen	blication and submitted plans posed work. Conservation ent for any reason, then the
Authorized Commission Signature	Print na	me legibly		Date
12. <i>Town Clerk</i> . I hereby certify maps with the town/city of I have received and retained certifi			as required by Chapter 4	82-A:3 (amended 1991), and
That o received and retained certifi	tou postar receipts (er eep.	es) for all dodies	.s .ac	
Signature of Town/City Clerk	Print nan	ne legibly		Date
IMPORTANT NOTE: The DE expedited review within 30 days of carried out before receiving a wr Corps of Engineers State Program	of DES's "Notice of Admitten permit issued by the	inistrative Comp DES Wetlands	leteness." However, app Bureau may not be cov	olicants are advised that work ered under the federal Army

Revised 8/19/03 2

#### Chapter 2—Wetlands Permit Application

The remaining chapters in this section pertain to processing a Standard Dredge and Fill application package that is submitted for minimum, minor, and major projects.

Administrative Rule Wt 501.02 addresses additional information that must be submitted with the Dredge and Fill Application. This information is summarized below. When the BOE receives a NHWB permit application package for processing, it should consist of the items discussed below.

#### The Application Package

#### Intra-department Project Informational Form

This form is for the BOE file and is not included in the application package sent to other agencies. The form can be found on the Department's G: drive at G:\BUR16\Wetlands\ Wetland Applications.

#### Standard Dredge and Fill Application

The application form should be the NHDOT version. The BOE must receive the original application. The form can be found on the Department's G: drive at G:\BUR16\ Wetlands\Wetland Applications.

The application is divided into ten sections:

- 1. Owner information: State of New Hampshire, DOT
- 2. Location of proposed construction: Tax map information is not required for NHDOT projects
- 3. Waterbodies in the project area
- 4. Landforms
- 5. Description of project
- 6. *Need for project*
- 7. Desired starting date/estimated completion date
- 8. Authorized agent: State of New Hampshire, DOT
- 9. Impacts\*
- 10. Filing Fee: determined by the BOE

The application must be signed and dated by the authorized agent. NHDOT is not required to obtain a signature from the town clerk.

\*Wetland Impacts—Section 9 of the Standard Dredge and Fill Application: Wetland impacts must be measured as temporary and permanent impacts, as applicable to the project (9a, b, d, e on the application). Permanent impacts are further divided into impacts to wetlands and impacts to non-wetland banks. These impacts are measured in square feet.

Some projects, such as culvert extensions, disturb a stream's channel and banks. This type of impact is measured in linear feet (9f, g on the application). When calculating the total length of impacts to perennial streams, the length of disturbance to the channel and each bank must be measured and added together. When calculating the length of impacts to intermittent streams, distance is measured only along the thread of the channel. Only permanent linear impacts are recorded on the application.

Item 9j must be "no". Dredged material should never be disposed of in wetlands. The remaining items in Section 9 should be completed as appropriate to the project.

#### USGS Topographic Map

This should be in color and printed on  $8 \frac{1}{2} \times 11$ " paper at 1:24,000 or 1:25,000 scale. The location of the project area and wetland impact areas must be clearly marked on the map and should be as precise as possible.

#### • Overview Plan

An overview plan should be submitted for any Design project. This plan should show the entire project length, with the locations of wetland impacts, station numbers, labeled roadways, and north arrow.

#### • Wetland legend

This can be included on the plan or submitted as a separate sheet. The standard legend can be obtained from the BOE

#### • Wetland impact summary

This can be included on the plan or submitted as a separate sheet. The standard impact summary table can be obtained from the BOE.

#### Plans

Detailed plans should show the proposed work, including temporary and permanent wetlands impacts. A scale or dimensions, north arrow, and date should always be included on the plans, as well as an easily recognized landmark and its distance from the project area (intersections and telephone poles with pole numbers are typically used as landmarks). Delineated wetlands and wetland impacts should be shown on the plan using the standard symbols. If applicable, the plan should also show proposed methods of erosion and siltation control.

#### Color photographs

Photographs should show impact areas and existing structures, and should be clearly labeled with the date, project name and number, and location.

#### ■ 20 questions

These are required for minor and major projects. If the project has a completed environmental document, the environmental document can be substituted for the 20 questions. The Programmatic Categorical Exclusion checklist should not be used in place of the 20 questions.

#### Construction Sequence

For District and Bridge Maintenance projects, the sequence of construction should be described in a brief narrative that includes pre-construction through post-construction activities and the relative timing of all work. For Design projects, the construction sequence will be described in the Storm Water Pollution Prevention Plan (SWPP), which is written just prior to construction.

#### Shoreline Stabilization

(Administrative Rule PART Wt 404)

Rip-rap should be utilized only when vegetative and diversion methods are physically impractical due to turbulence, flow, restricted space, or similar factors. When a proposed project involves more than 100 linear feet of shoreline stabilization, the following rules must be addressed and included in the application package:

Wt 404.01 Least Intrusive Method Wt 404.02 Diversion of Water Wt 404.03 Vegetative Stabilization Wt 404.04 (a-e) Rip-Rap

If rip-rap is to be placed along more than 100 linear feet of a stream or river, stamped engineering plans must be submitted. If rip-rap is to be placed adjacent to a public water body, a stamped survey plan must be submitted. The plan must show the location of the normal high water shoreline and the footprint of the proposed project.

Each of these components of the application package should be checked for errors and omissions. An incomplete application package or incorrect information delays the process of obtaining a permit. Common errors include the incorrect sum of wetland impacts; discrepancies in wetland impacts shown on the plan and wetland impacts listed on the application itself; inaccurate location shown on the topographic map; and incorrect wetland classification. For information regarding wetland classification, refer to *Classification of Wetlands and Deepwater Habitats of the United States*. This manual can be found online at <a href="https://www.npwrc.usgs.gov/resource/1998/classwet/classwet.htm">www.npwrc.usgs.gov/resource/1998/classwet/classwet.htm</a> - table.

#### The Application Package—Examples

Examples of a typical application package begin on the following page.

-	1	9	-

#### Example: Permit Application #1

# NH WETLANDS BUREAU PERMIT APPLICATION INTRA-DEPARTMENT PROJECT INFORMATIONAL FORM

APPLICANT'S NAME: New Hampshire Department of Transportation

BUREAU/AGENCY: Bridge Design

CONTACT PERSON: Robert Aubrey

TELEPHONE #: 603-271-2731

EMAIL ADDRESS: RAUBREY@DOT.STATE.NH.US

PROJECT NAME: Hanover, NH Route 10 over Mink Brook

STATE #: 13935

FEDERAL #: N/A

WORK CLASS CODE: 151

**ORGANIZATION CODE: 3039** 

COUNTY: Grafton

PROPOSED ADVERTISING DATE: This is a design/build project and has no advertising date. The project will

be awarded to the chosen design/build team in March 2006.

PROPOSED CONSTRUCTION DATE: April 2006

IS THIS A MAJOR OR MINOR WETLAND IMPACT PROJECT (YES/NO)? YES

MITIGATION REQUIRED: YES\_\_\_ NO\_\_x\_ ACRES\_
(If wetlands are being created, note how many acres of new wetland are being created and/or acres of preservation, or other mitigation that does not fit into creation)

PROJECT DESCRIPTION: This is a bridge replacement project of a structurally deficient bridge. The new bridge will have the same roadway width as the existing structure and the same

span length or slightly longer.

WILL CONSTRUCTION OCCUR DURING LOW-FLOW PERIODS-e.g (JULY 15 - OCT 1)? Some of the substructure construction will likely occur outside this period.

WILL THIS PROJECT INVOLVE UNCONFINED IN-STREAM CONSTRUCTION WORK? Yes

DRAINAGE DESCRIPTION:

The existing drainage system will likely be perpetuated (ie catch basins with outlet pipes into the wetland areas). Some of the catch basins may be relocated slightly to account for minor changes to the profile grade.

Revised January, 2004

Recorded in 18

s:\projects\active\hanover\13935\environ\wetintrainfo1.doc



# DEPARTMENT OF ENVIRONMENTAL SERVICES WETLANDS BUREAU

29 Hazen Drive PO Box 95 Concord, NH 03302-0095

Phone: (603) 271-2147 web site: www.des.state.nh.us/wetlands

Fax: (603) 271-6588 email: wetmail@des.state.nh.us



## STANDARD DREDGE AND FILL APPLICATION

Application for filling, dredging, or constructing structures under RSA 482-A and RSA 485-A:17


			Last	rtment of Transportation	M .	Middle
	MAILING ADDRESS	7 Hazen Drive	PO Box 483	Concord	NH	03302-0483
	TELEBRIONE (CO.)	Street/Road/Bo		5	State	1
				(603) 271 - 275	59 EMAIL: _	
2.	LOCATION OF PROP					
	NH Rot	ite 10 d/highway			Hanover	
					Town/City	
	TAX MAP #'s	LOT #'s		BLOCK#s		_
l	Unnamed tributary to Unnamed Pond	Jnnamed stream	Unnamed	wetland Tidal B	uffer Zone	
1	☐ Unnamed Pond ☐ ☐  Mark appropriate box(es ☐ Freshwater marsh; [	Unnamed stream  s) to indicate landf  Swamp;  W	form type(s): [	□ Salt Marsh: □ Tio	dal water: □ San	d dune; ☐ Bog; onal stream; ☐ Lake;
! [	☐ Unnamed Pond ☐ ☐  Mark appropriate box(es	Unnamed stream  i) to indicate landf  Swamp; We  tone only); On	form type(s): [ et meadow; [ ther:	☐ Salt Marsh; ☐ Tio ☑ River; ☐ Perennia	dal water;	onal stream;
I E E	Unnamed Pond Unamed Pond Unark appropriate box(es Freshwater marsh; Upland (tidal buffer a rovide a description of explain the need for the sureau's jurisdiction. (us	Unnamed stream  s) to indicate landf  Swamp; ⋈ W  cone only); □ Ot  your proposed pro  proposed project a  e separate sheet if	form type(s): [ et meadow; [ ther:	☐ Salt Marsh; ☐ Tion ☐ River; ☐ Perennia ☐ replacement with minor ☐ been designed to mining Existing bridge is struct	dal water; San el stream; Seas or roadway reconst	onal stream;
I C C F E E R	Unnamed Pond Unamed Pond Unark appropriate box(es Freshwater marsh; Upland (tidal buffer a rovide a description of explain the need for the sureau's jurisdiction. (us	Unnamed stream  s) to indicate landf  Swamp;   Weone only);   Of  your proposed proposed proposed proposed proposed proposed is esparate sheet if the designed to san	form type(s): [ et meadow; [ ther:  nject. Bridge  and how it has necessary). ] me roadway w	□ Salt Marsh; □ Tio  □ River; □ Perennia  replacement with mino been designed to mini Existing bridge is struction and with the second	dal water; San all stream; Seas or roadway reconstruize impact to are sturally deficient a fill have the same s	onal stream; Lake;  truction.  eas within the DES Wetlar and in need of replacement pan length or slightly long
I C C C C C C C C C C C C C C C C C C C	Unnamed Pond Unamed Pond Unnamed Pond Unark appropriate box(es Freshwater marsh; Upland (tidal buffer a trovide a description of explain the need for the tureau's jurisdiction. (us eplacement bridge will	Unnamed stream  s) to indicate landf Swamp, We wone only); Or your proposed proposed proposed proposed se separate sheet if be designed to san	form type(s): [ et meadow; [ ther:  nject. Bridge  and how it has  necessary) me roadway w	□ Salt Marsh; □ Tio  □ River; □ Perennia  replacement with mino been designed to mini Existing bridge is struction and with the second	dal water; San all stream; Seas or roadway reconstruize impact to are sturally deficient a fill have the same s	onal stream; Lake;  truction.  eas within the DES Wetlar and in need of replacement pan length or slightly long
I C C A	Unnamed Pond Unamed Pond Unnamed Pond Unark appropriate box(es Freshwater marsh; Upland (tidal buffer 2 rovide a description of explain the need for the sureau's jurisdiction. (us eplacement bridge will esired Starting Date: UTHORIZED AGENT AILING ADDRESS:	Unnamed stream  b) to indicate landf  Swamp;  Worden only);  Ott  your proposed project a e separate sheet if be designed to san  April 2000  Mark W. Richan	form type(s): [ et meadow; [ ther:	□ Salt Marsh; □ Tio  □ River; □ Perennia  replacement with minor been designed to minion Existing bridge is struction idth as existing and with Estimated Completion  Concord	dal water; San al stream; Seas or roadway reconst mize impact to are cturally deficient a ill have the same s Date: Septen	onal stream; Lake;  truction.  eas within the DES Wetlar and in need of replacement pan length or slightly long aber 2006  03302-0483
PF E E E E E E E E E E E E E E E E E E E	Unnamed Pond   Mark appropriate box(es  Freshwater marsh;  Upland (tidal buffer z  rovide a description of  xplain the need for the ureau's jurisdiction. (us eplacement bridge will  desired Starting Date:  UTHORIZED AGENT  AILING ADDRESS:	Unnamed stream  (a) to indicate landf  (b) Swamp;  (c) W  (cone only);  (c) Ot  (c) Your proposed project a  (c) e separate sheet if  (c) be designed to san  (c) April 2000  (c) Mark W. Richar  (c) The April Prive PO  (c) Street/Road/Box (c)	form type(s): [ et meadow; [ ther:  oject. Bridge  and how it has necessary) me roadway w  dson  D Box 483	□ Salt Marsh; □ Tio □ River; □ Perennia  replacement with mino been designed to mini Existing bridge is structed as existing and with the second to the sec	dal water;  San all stream;  Seas or roadway reconst mize impact to are sturally deficient a ill have the same s Date: Septem	onal stream; Lake;  truction.  eas within the DES Wetlar and in need of replacement pan length or slightly long aber 2006  03302-0483
F E B R C	Unnamed Pond Unamed Pond Unnamed Pond Unark appropriate box(es Freshwater marsh; Upland (tidal buffer 2 rovide a description of explain the need for the sureau's jurisdiction. (us eplacement bridge will esired Starting Date: UTHORIZED AGENT AILING ADDRESS:	Unnamed stream  s) to indicate landf Swamp;  Worne only);  Ot your proposed proposed proposed project a e separate sheet if be designed to san April 2006 Mark W. Richan 7 Hazen Drive PO	form type(s): [ et meadow; [ ther:	□ Salt Marsh; □ Tio  □ River; □ Perennia  replacement with minor been designed to minion Existing bridge is struction idth as existing and with Estimated Completion  Concord	dal water; San al stream; Seas or roadway reconst mize impact to are cturally deficient a dil have the same s  Date: Septem	onal stream; Lake

NH DOT Version - March, 2005


1

Rev 08/19/03


	ea, volumetric and/or linear impact o			H DES Wetl	ands Burea	au jurisdio	ction (e.g., lake
	nds, streams, wetlands, sand dunes, ti						
a.	Estimated area of permanent impact wi						sq. ft.
b.	Estimated area of permanent impacts w				374		_sq. ft.
C,	Estimated area of permanent impacts w						
d.	Estimated area of temporary impacts: Estimated total area of all proposed wor			840			sq. ft.
e.	Estimated total area of all proposed wor	rk:	2272	sq. ft. (in	N.H. Wetlai	nds Bureau	ı jurisdiction).
f.	Estimated length of permanent impacts	to banks:		44			ft.
g.	Estimated length of permanent impacts	to channel:_		60			ft.
h.	Estimated volume of impacts in Public	Waters		N/A	5 S		cu. yd.
i.	Final deposition of dredged material		Place	d in upland are	eas.		
j.	Is proposed disposal site for dredged ma	aterial locate	ed in wetlands?	yes 🖂 no			
k.	If a channel is to be constructed, or a cu	lvert or a br	idge is to be insta	alled, give the	distance the	flow of w	ater is to be
	rerouted 0	ft.					
1.	If dock or similar structure: length:	N/A	ft.; width:	N/A	ft.; total	surface are	ea of
	structures/impact:	N/A	_sq. ft.				
m.	If waterfront project, indicate total lengt If wall, rip-rap, beach, or similar project	h of shorelin	ne frontage		N/A		ft
n.	If wall, rip-rap, beach, or similar project	, indicate th	e proposed shore	line impact in:	linear feet	N/A	, square feet
	N/A						
	ANT SIGNATURE.  1.) All abutters have been identified in 2.) The applicant has notified all abutte 3.) The applicant has read, and provide "Checklist for Preparing a Standard 4.) The applicant has read and understan 5.) The applicant has submitted a copy of the applicant authorizes the local Computer to the department, pursuant to RSA 4. The applicant has reviewed the informal accurate;  8.) The applicant understands that the Hampshire Department of Environm	accordance rs by CERT d, the REQU Dredge & F nds Rule Wi of the applic conservation 482-A:11. ormation to willful sub ental Service	with the definition of the submitted and the submitted and the size is a criminal and the size is a cr	ATION outling chosen the lead of the NH State any, to inspect of that the information of the chosen	set impacting e Historic Pr t the site in rmation is, to presentative by law.	Wt 302.04 g alternative eservation order to poto his/her information	and listed on the ve; Officer; rovide comment knowledge, true ion to the New
ignature	of authorized agent (if applicable)	print ag	ent name			date	
COMMITTEE OF THE PERSON OF THE	CLEDY SIGNATURE I I			flad C	uli anti	C	
	CLERK SIGNATURE. I hereby cer		ie applicant has		-		
	with the town/city of:	N/A	0 11 1				:3, and I have
eceived a	and retained certified postal receipts (	or copies)	tor all abutters	identified by	the applica	ant.	
	N/A						
ignature	of town/city clerk				date		
TOO H	Version – March, 2005		2		R	ev 08/19/03	1



#### HANOVER 040/043 NH RTE. 10 OVER MINK BROOK OCTOBER 4, 2002



82-6, 7 South Abutment




81-9, 10 North Abutment

#### HANOVER 040/043 NH RTE. 10 OVER MINK BROOK OCTOBER 4, 2002



### 82-9 Downstream Elevation



82-8 Upstream Elevation


### HANOVER 040/043 NH RTE. 10 OVER MINK BROOK OCTOBER 4, 2002





81-11, 12 Looking DS from bridge




81-14, 15 Looking US from bridge










# Legend close-up



# Wetland Impact Summary close-up

WETLAND DESIGNATION	USFWS WETLAND CLASSIFICATION	LOCATION	AREA					
			N.H.W.B. (NON-WETLAND)		N.H.W.B. & A.C.O.E. (WETLAND)		TEMPORARY IMPACTS	
			m2	SF	m2	SF	m2	SF
3	R3UBH	A						840
3	R3UBH	В				467		
3	R3UBH	С				591		
8	BANK	D		100				-
7	BANK	E		131				
10	BANK	F		47				
1	PEM1E	G		22				
2	PEM1E	Н		12				A STATE OF THE STA
9	BANK	1		62				

PERMANENT IMPACTS: XXXX m2 1432 SF TEMPORARY IMPACTS: XXXX m2 840 SF

TOTAL IMPACTS: XXXX m2 2272 SF

#### Example: Permit Application #2

#### NH WETLANDS BUREAU PERMIT APPLICATION INTRA-DEPARTMENT PROJECT INFORMATIONAL FORM

APPLICANT'S NAME:

NH DEPT OF TRANSPORTATION

DATE:

March 11, 2005

BUREAU/AGENCY:

Highway Maintenance District #4 (Swanzey)

CONTACT PERSON:

Charles Willeke

**TELEPHONE #: EMAIL ADDRESS:**  352-2302

cwilleke@DOT.STATE.NH.US

M 411

PROJECT NAME:

Fitzwilliam

STATE #:

411-2005-2

WORK CLASS CODE:

462

ACCOUNT CODE:

3007

BRIDGE #:

**Betterment Project** 

O/CLS:

020

COUNTY:

Cheshire

LOCATION:

Intersection of NH Rte. 119 and Holman Road

PROPOSED CONSTRUCTION DATE:

06/05

PROPOSED ADVERTISING DATE: N/A

IS THIS A MAJOR OR MINOR WETLAND IMPACT PROJECT (YES/NO)? Yes. (MINOR)

MITIGATION: N/A

#### PROJECT DESCRIPTION:

From Highway Maintenance personnel visiting the site, concerns with the above-mentioned project include:

- Existing drainage systems have one or more of the following problems: inadequate cover, significant deterioration, indirect access to primary outlet.
- Roadway shoulders and slopes are inadequate and require reconstruction.

To correct these concerns, we propose:

- Replacing and modifying existing drainage structures to include the replacement of a two-pipe drainage culvert crossing under NH Rte. 119.
- Relocating existing drainage ditch line to enable the construction of paved shoulders and 4:1 slopes.
- Eliminating a grass island to streamline the intersection of NH Rte. 119 & Holman Rd.
- Installing guardrail where the construction of 4:1 slopes (or flatter) is not feasible.

To avoid siltation of the un-named wetland during replacement of the two-pipe drainage culvert, a coffercell enclosing each end section will be constructed before work begins. If necessary, a temporary equalizer pipe will be installed to enable continuous flow during construction. Any water trapped in the coffercell will be pumped directly into a sediment basin where particulates will be allowed to settle out. The water will then be allowed to leach back into the wetland. Siltation fence and/or hay bales will be used to construct the basin.

IS THE PROJECT LOCATED ALONG OR WITHIN A NH DESIGNATED RIVER (YES/NO)? No (see NHWB Manual, Appendix R for list of designated rivers)

WILL CONSTRUCTION OCCUR DURING LOW-FLOW PERIODS (JULY 15 - OCT 1)?

WILL THIS PROJECT INVOLVE UNCONFINED IN-STREAM CONSTRUCTION WORK? No

Revised January, 2003

c:\documents and settings\27499\desktop\mark's winter assignment\fitzwilliam\fitzwilliam info form.doc



#### DEPARTMENT OF ENVIRONMENTAL SERVICES WETLANDS BUREAU

29 Hazen Drive PO Box 95 Concord, NH 03302-0095 Fax: (603) 271-6588

Phone: (603) 271-2147

web site: www.des.state.nh.us/wetlands



email: wetmail@des.state.nh.us

## STANDARD DREDGE AND FILL APPLICATION

Application for filling, dredging, or constructing structures under RSA 482-A and RSA 485-A:17

200		Last	re, Department of Trai	isportation	Middle		
	MAILING ADDRESS:	PO Box 483	Concord	Irst	NH	03302-0483	
	MAILING ADDRESS: TELEPHONE: (603)	Street/Road/Box # 271 - 3226	Town/City FAX: (603) 27	/ 1 - 7199	State EMAIL:	Zip code cwilleke@dot.state.nh.us	
	LOCATION OF PROP	OSED CONSTRUCTI	ON:				
	NH Rou	te 119			Fitzwillia	ım	
		d/highway			Town/Ci	ty	
	TAX MAP #'s N/A	LOT #'s	N/A B	LOCK#s	N/A	_	
	Obtain Name of Waterb  ☑ IN, OR ☐ ADJACE ☐ Unnamed tributary to ☐ Unnamed Pond ☑	NT TO:	157.4 TE		777.*	ace an "X" in the appropriate (name of waterbody) 	
	Mark appropriate box(e     Freshwater marsh;     Upland (tidal buffer	Swamp; Wet m	eadow; 🗌 River; 🛚	n; 🔲 Tidal w Perennial str	vater; ☐ Sa eam; ☐ Se	and dune;	
	two-pipe drainage culve three 42" x 50' HDPE include the removal of a x 37' reinforced concret	ort under NH Rte. 119 pipes. 2. Eliminate th dry basin located in the outlet pipe located ur system previously mer	that has a 5' x 39' store grass island at the interest island, a 12" x 35' conder NH Rte 119. 3. Intioned. 4. Relocate	one box and a intersection of corrugated inle install a 15" x (setback drain	5' x 43 CM NH Rte. I et pipe locate 69 HDPE d	ed to: 1. Replacing an exist MP with a system comprised 19 & Holman Road which the dunder Holman Rd, and a rainage pipe under Holman ne running parallel to NH I	
	two-pipe drainage culve three 42" x 50' HDPE include the removal of a x 37' reinforced concret to replace the drainage 119 to enable the constru- Explain the need for the Bureau's jurisdiction, du deterioration throughout deterioration and needs allow the intersection to	rt under NH Rte. 119 pipes. 2. Eliminate th dry basin located in the e outlet pipe located ur system previously mer action of a 4' paved sho proposed project and h se separate sheet if ne both pipes and needs a better the remova be streamlined during carrying pipe under N	that has a 5' x 39' store grass island at the interior island, a 12" x 35' conder NH Rte 119. 3. It is the island, a 12" x 35' conder NH Rte 119. 3. It is the island at t	one box and a ntersection of corrugated inle nstall a 15" x (setback drain 4:1 slope.  ed to minimiz ipe drainage of e system centre the intersecting a drainage of the ditch line the liters and the liters are the system centre and the system	5' x 43 CN NH Rte. 1 et pipe locate 69 HDPE d lage ditch li e impact to culvert unde ered in the s ion of NH 1 pipe comple ne that runs	MP with a system comprised 19 & Holman Road which are dunder Holman Rd. and a trainage pipe under Holman ne running parallel to NH I areas within the DES Wetla er NH Rte. 119 has signific grass island also has signific grass island also has signific grass (19 & Holman Rd. wo parallel to NH Rte. 119 wo parallel to NH Rte. 119 wo	
	two-pipe drainage culve three 42" x 50' HDPE include the removal of a x 37' reinforced concret to replace the drainage 119 to enable the constru- Explain the need for the Bureau's jurisdiction. (u deterioration throughout deterioration and needs allow the intersection to eliminate the need for a	ort under NH Rte. 119 pipes. 2. Eliminate the dry basin located in the e outlet pipe located ur system previously mer action of a 4' paved sho proposed project and he se separate sheet if ne both pipes and needs i replacing, the remova be streamlined during carrying pipe under N n of a paved shoulder a	that has a 5' x 39' store grass island at the interest island, a 12" x 35' c dider NH Rte 119. 3. Intioned. 4. Relocate outled coupled with a 4 mow it has been design cressary). The two preplacing, the drainag I of the grass island a construction, installif H Rte, 119. Relocating model would permit the coupled would permit the coupled would be stored to the grass island a construction.	one box and a ntersection of orrugated inle nstall a 15" x (setback drain 4:1 slope.  ed to minimiz ipe drainage of e system cent to the intersecting a drainage of the ditch lin onstruction of	5' x 43 CN NH Rte. 1 et pipe locate 69 HDPE d laage ditch li e impact to culvert unde erred in the sion of NH l pipe comple ne that runs a 4:1 (Safer	MP with a system comprised 19 & Holman Road which wed under Holman Rd. and a trainage pipe under Holman ne running parallel to NH I areas within the DES Wetla er NH Rte. 119 has significated as island also has significated across Holman Rd. wo parallel to NH Rte. 119 word parallel to NH Rte. 119 word slope in that location	
	two-pipe drainage culve three 42" x 50' HDPE include the removal of a x 37' reinforced concret to replace the drainage 119 to enable the constru- Explain the need for the Bureau's jurisdiction. (u deterioration throughout deterioration and needs allow the intersection to eliminate the need for a allow for the constructio	ort under NH Rte. 119 pipes. 2. Eliminate th dry basin located in th e outlet pipe located ur system previously mer action of a 4' paved sho proposed project and h se separate sheet if ne both pipes and needs h replacing. the remova be streamlined during carrying pipe under N n of a paved shoulder a	that has a 5' x 39' store grass island at the interest in the island, a 12" x 35' conder NH Rte 119. 3. I attioned. 4. Relocate a coulder coupled with a 4 construction. Installing the drainage I of the grass island a construction. Installing H Rte. 119. Relocation and would permit the coupled with a 4 coupled with a 4 construction. Installing H Rte. 119. Relocation and would permit the coupled with a 4 construction.	one box and a ntersection of orrugated inle nstall a 15" x (setback drain 4:1 slope.  ed to minimiz ipe drainage e system cent to the intersecting a drainage of the ditch line onstruction of ompletion Date	5' x 43 CN NH Rte. 1 et pipe locate 69 HDPE d lage ditch li e impact to culvert unde erred in the s ion of NH l pipe comple ne that runs a 4:1 (Safer e: 0	MP with a system comprised 19 & Holman Road which wed under Holman Rd. and a trainage pipe under Holman ne running parallel to NH I areas within the DES Wetlater NH Rte. 119 has significated as is a	
	two-pipe drainage culve three 42" x 50' HDPE include the removal of a x 37' reinforced concret to replace the drainage 119 to enable the construction to replace the drainage 119 to enable the construction that the Bureau's jurisdiction. (undeterioration throughout deterioration and needs allow the intersection to eliminate the need for a allow for the construction besired Starting Date:	ort under NH Rte. 119 pipes. 2. Eliminate th dry basin located in th dry basin located in th e outlet pipe located ur system previously mer action of a 4' paved sho proposed project and I se separate sheet if ne both pipes and needs replacing. the remova be streamlined during carrying pipe under N n of a paved shoulder a  06/01/05	that has a 5' x 39' store grass island at the interest island, a 12" x 35' c and a 1	one box and a ntersection of corrugated inle nstall a 15" x (setback drain 4:1 slope.  ed to minimiz ipe drainage of e system cent to the intersecting a drainage of the ditch lin construction of completion Date ransportation	5' x 43 CN NH Rte. 1 et pipe locate 69 HDPE d lage ditch li e impact to culvert unde ered in the ion of NH l pipe comple ne that runs a 4:1 (Safe)	MP with a system comprised 19 & Holman Road which wed under Holman Rd. and a trainage pipe under Holman ne running parallel to NH I areas within the DES Wetlater NH Rte. 119 has significated as is a	
	two-pipe drainage culve three 42" x 50' HDPE include the removal of a x 37' reinforced concret to replace the drainage 119 to enable the construction that it is a construction to enable the construction that it is a construction that it is a construction that it is a construction to eliminate the need for a allow for the construction to eliminate the construction construction to the construction to eliminate the need for a construction to eliminate the construction to eliminate the construction to the construction that it is a	ort under NH Rte. 119 pipes. 2. Eliminate th dry basin located in th e outlet pipe located ur system previously mer action of a 4' paved sho proposed project and h se separate sheet if ne both pipes and needs h replacing, the remova be streamlined during carrying pipe under N n of a paved shoulder a  06/01/05  State of New Hamps 19 Base Hill road Street/Road/Box #	that has a 5' x 39' store grass island at the interest in the island, a 12" x 35' conder NH Rte 119. 3. I attioned. 4. Relocate interest in the island, a 12" x 35' conder NH Rte 119. 3. I attioned. 4. Relocate in the interest in the island at its interest in the interest in interest in the i	one box and a ntersection of orrugated inle install a 15" x (setback drain 4:1 slope. ed to minimiz ipe drainage e system cent to the intersecting a drainage of the ditch line onstruction of ompletion Date ransportation	5' x 43 CN NH Rte. 1 st pipe locate 69 HDPE d laage ditch li e impact to culvert unde ered in the s ion of NH l pipe comple ne that runs a 4:1 (Safer e: 0	MP with a system comprised 19 & Holman Road which wed under Holman Rd. and a irrainage pipe under Holman ne running parallel to NH I areas within the DES Wetla er NH Rte. 119 has signific grass island also has signific Rte. 119 & Holman Rd. wo eately across Holman Rd. wo parallel to NH Rte. 119 wor) slope in that location 18/31/05	
THE RESERVE THE PARTY OF THE PA	two-pipe drainage culve three 42" x 50' HDPE include the removal of a x 37' reinforced concret to replace the drainage 119 to enable the construction that it is a construction to enable the construction that it is a construction that it is a construction that it is a construction to eliminate the need for a allow for the construction to eliminate the construction construction to the construction to eliminate the need for a construction to eliminate the construction to eliminate the construction to the construction that it is a	ort under NH Rte. 119 pipes. 2. Eliminate th dry basin located in th e outlet pipe located ur system previously mer action of a 4' paved sho proposed project and h se separate sheet if ne both pipes and needs h replacing, the remova be streamlined during carrying pipe under N n of a paved shoulder a  06/01/05  State of New Hamps 19 Base Hill road Street/Road/Box #	that has a 5' x 39' store grass island at the interest in the island, a 12" x 35' conder NH Rte 119. 3. I attioned. 4. Relocate interest in the island, a 12" x 35' conder NH Rte 119. 3. I attioned. 4. Relocate in the interest in the island at its interest in the interest in interest in the i	one box and a ntersection of orrugated inle install a 15" x (setback drain 4:1 slope. ed to minimiz ipe drainage e system cent to the intersecting a drainage of the ditch line onstruction of ompletion Date ransportation	5' x 43 CN NH Rte. 1 et pipe locate 69 HDPE d lage ditch li e impact to culvert unde ered in the s ion of NH l pipe comple that runs a 4:1 (Safet e:0  NH State  EMAIL:	MP with a system comprised 19 & Holman Road which wed under Holman Rd. and a trainage pipe under Holman ne running parallel to NH I areas within the DES Wetlater NH Rte. 119 has significated as significated as the signification of the system of the syste	

9. Area, volumetric and/or linear impact of p		I DES Wetlands Bureau	jurisdiction (e.g., lake
ponds, streams, wetlands, sand dunes, tidal	buffer zone, etc.).		
a. Estimated area of permanent impact within		840	sq. ft.
b. Estimated area of permanent impacts within	n non-wetland bank:	1,932	sq. ft.
c. Estimated area of permanent impacts within	n the upland portion of the	Tidal Buffer Zone:	N/A sq. ft.
d. Estimated area of temporary impacts:		985	sq. ft.
e. Estimated total area of all proposed work:	3,757	_sq. ft. (in N.H. Wetland	s Bureau jurisdiction).
f. Estimated length of permanent impacts to l	oanks:	435	ft.
g. Estimated length of permanent impacts to o	channel:	190	ft.
h. Estimated volume of impacts in Public Wa	ters	0	cu. yd.
i. Final deposition of dredged material	Out of Wetlan	nds Bureau Jurisdiction	
<ol> <li>Is proposed disposal site for dredged mater</li> </ol>	ial located in wetlands?	]yes ⊠no	
k. If a channel is to be constructed, or a culve	rt or a bridge is to be instal	led, give the distance the f	low of water is to be
rerouted Approximately 6 ft.	_ft.		
If dock or similar structure: length:		N/A ft.; total su	ırface area of
	N/A sq. ft.		
m. If waterfront project, indicate total length of	f shoreline frontage	N/A	ft
n. If wall, rip-rap, beach, or similar project, in	dicate the proposed shorel	ine impact in: linear feet_	, square feet
			, , , , , , , , , , , , , , , , , , ,
10. FILING FEE: A check or money order pay	able to the DES Wetlan	ds Bureau shall accompa	ny the application. Th
minimum fee is \$100. MINOR and MAJOR	IMPACT PROJECTS are	e charged at the rate of:	\$0.10 per square foot of
requested impact (if less than 1,000 square feet	of impact is proposed, the	minimum fee of \$100 app	iles). All applications to
SHORELINE STRUCTURES shall include a	base fee of \$100. In addi	tion, MINOR and MAJOR	CIMPACT SHORELING
PROJECTS shall include fees charged at the r	ate of: \$0.10 per square i	oot for requested dredge of	or iii impacts; \$0.50 pe
square foot for requested seasonal docking stru	icture; and \$1.00 per squ	are foot for requested peri	nanent docking structure
All fees are based on the originally requested	impacts, not the iinai ap	proved impact.	
A DOLLG AND GLOVE THE GLOVE THE DELL	OW CERTIFIES THAT.		
APPLICANT SIGNATURE. SIGNATURE BELO	JW CERTIFIES THAT:	u siyaa ia tha saasaal iaata	ustians shoots
1.) All abutters have been identified in acc	by CERTIFIED MAH.	in given in the general insti	uctions sheet,
2.) The applicant has notified all abutters	by CERTIFIED MAIL;	ATION autlined in mile W	+ 202 04 and listed on the
3.) The applicant has read, and provided,	the REQUIRED INFORM	ATTON outlined in rule w	t 302.04 and fisted on the
"Checklist for Preparing a Standard Di	reage & Fill Application;	-bth-s-ltt	altamatica
4.) The applicant has read and understand	s Rule Wt 302.03 and has o	chosen the least impacting	anemative,
<ul><li>5.) The applicant has submitted a copy of</li><li>6.) The applicant authorizes the local Cor</li></ul>	the application materials to	o the NH State Historic Fre	scivation Officer,
		any, to inspect the site in c	ruer to provide commen
to the department, pursuant to RSA 48 7.) The applicant has reviewed the inform	z-A.11.	I that the information is to	his/her knowledge, true
and accurate;	lation to be submitted and	that the information is, to	mismer knowledge, true
8.) The applicant understands that the v	villful submission of falsi	fied or misrepresentative	information to the New
Hampshire Department of Environment			information to the ries
Trampsinic Department of Environmen	tal Services is a criminal a	et pamishaote by favi.	
- Nom R 122 2	Charles R. Willeke	March	121, 2005
signature of owner	print owner name	0.000	date
	Secretaria de la composición del composición de la composición del composición de la composición del composición de la composición del composición del composición del composición del composición del composición del composic		
21 0 - 2			
im kent	Charles R. Willeke	March	21, 2005
signature of authorized agent (if applicable)	print agent name		date
TOWN CLERK SIGNATURE. I hereby cert	ify that the applicant has	s filed five applications,	five sets of supporting
materials with the town/city of:	N/A	as required by Chapte	er 482-A:3, and I have
received and retained certified postal receipts (o	r copies) for all abutters	identified by the applica	nt.
1		10 PM	
N/A			
signature of town/city clerk		date	
	2		
NH DOT Version – March, 2005	2	R	ev 08/19/03

### New Hampshire Department of Transportation Bureau of Highway Maintenance (District #4), Project #411-2005-2 Fitzwilliam, NH Rte. 119 Intersecting Holman Road Betterment Project

# **Construction Sequence**

- 1. Install erosion control measures.
- 2. Construct new drainage ditch line and transfer the flow of water.
- 3. During normal to low flow, place sandbags and silt fence to create coffercells at each end of the existing culvert and establish the isolated work area(s).
- Establish water diversion measures. If necessary, install temporary equalizer pipe to maintain flow outside coffercells.
- 5. Construct sediment basin(s) with hay bales and siltation fence and dewater.
- 6. Remove existing drainage culverts.
- 7. Remove any unsuitable material and replace with suitable fill.
- 8. Compact and grade.
- 9. Install new culverts and headwalls.
- 10. Backfill.
- 11. Remove coffercells and return flow.
- Remove the grass island and related drainage at the intersection of NH Rte. 119 & Holman Road. Streamline the intersection and install new culvert under Holman Road.
- 13. Remove existing ditch line and construct new shoulders and slopes. Place loam, seed and hay mulch on newly constructed slopes and exposed areas.
- 14. Pave and stripe.
- 15. Maintain erosion control measures until area is stabilized.

**Note:** Guardrail is to be installed as part of the betterment project but will not impact surrounding wetlands.

### New Hampshire Department of Transportation Bureau of Highway Maintenance (District 4) Betterment Project, #411-2005-2

- The need for the proposed impact; The existing drainage systems have one or more of the following problems: inadequate cover, significant deterioration, and indirect access to primary outlet. Roadway shoulders and slopes are inadequate and require reconstruction.
- 2. The alternative proposed by the applicant is the one with the least impact to wetlands or surface waters on site; This design utilizes a coffercell to separate the work area from the clean water. All water trapped in the coffercell will be pumped into a sediment basin where particulates will be allowed to settle out. The water will then be allowed to leach back into the wetland.
- 3. The type/classification of the wetlands involved; PEM1E, R2UB3H, Bank
- 4. The relationship of the proposed wetlands to be impacted relative to nearby wetlands and surface waters; Negligible
- 5. The rarity of the wetland, surface water, sand dunes, or tidal buffer zone area; Fitzwilliam is not a town included on the list of designated prime wetlands.
- 6. The surface area of the wetlands that will be impacted;

1,923 s.f. banks 840 s.f. wetland 985 s.f. temporary

- 7. The impact on plants, fish, and wildlife including:
  - a. Rare, special concern species;
  - b. State and federally listed threatened and endangered species;
  - c. Species at the extremities of their ranges;
  - d. Migratory fish and wildlife; and
  - e. Exemplary natural communities identified by the New Hampshire Natural Heritage Inventory (NHI)- Department of Resources and Economic Development.

Regarding items a-d: A copy of the Dredge and Fill Application was sent to US Fish and Wildlife Service, NH Fish and Game, and EPA on March 22, 2005. To date the NHDOT Bureau of Environment has not received a response from any party that there is concern with this project. If and when the NHDOT receives comments from these agencies we will forward these comments immediately to the NHDES for inclusion in the permit application.

Regarding item e: The NHDES currently addresses this item.


- 8. The impact of the proposed project on public commerce, navigation and recreation;
  None
- 9. The extent to which a project interferes with the aesthetic interests of the general public. For example, where an applicant proposes the construction of a retaining wall on the bank of a lake the applicant would be required to indicate the type of material to be utilized and the effect of the construction of the wall on the view of other users of the lake; N/A

### New Hampshire Department of Transportation Bureau of Highway Maintenance (District 4) Betterment Project, #411-2005-2


- 10. The extent to which a project interferes with or obstructs public rights of passage or access. For example, where the applicant proposes to construct a dock in a narrow channel the applicant would be required to document the extent to which the dock would block or interfere with the passage through this area; N/A
- 11. The impact upon abutting owners pursuant to RSA 482-A, II. For example, if an applicant is proposing the rip-rapping of a stream the applicant would be required to document the effect of such work on upstream and downstream abutting properties; No impact.
- 12. The benefit of a project to the health, safety, and well being of the general public; Safer roadway, updated drainage and guardrail.
- 13. The impact of a proposed project on quantity or quality of surface and ground water. For example, where an applicant proposes to fill wetlands he/she would be required to document the impact of the proposed fill on the amount of drainage entering the site versus the amount of drainage exiting the site and the difference in the quality of water entering and exiting the site; The primary channel will be altered to enable the construction of a triple pipe drainage culvert. The new culvert will be approx. 10 ft. longer than the existing culvert to gain additional roadway shoulder width. Structural fill and engineered select materials will be needed to accomplish this. The width of the channel will remain the same; therefore, the water flowing through the channel will neither be hindered nor is it anticipated that the flow will be greater than what current conditions allow. The proposed drainage ditch line running parallel to NH Rte. 119 will be completely constructed before the existing ditch line is removed. Water will be allowed to flow during all phases of construction.
- 14. The potential of a proposed project to cause or increase flooding, erosion, or sedimentation; Normal erosion and sedimentation control measures will be implemented before construction begins and will be maintained both during construction and after construction until area is deemed stabilized.
- 15. The extent to which a project that located in surface waters reflects or redirects current or wave energy which might cause damage or hazards; The project will be done during periods of low flow.
- 16. The cumulative impact that would result if all parties owning or abutting a portion of the affected wetland or wetland complex were also permitted alterations to the wetland proportional to the extent of their property rights. For example, an applicant who owned only a portion of a wetland would document his percentage of ownership of that wetland and the percentage of that ownership that would be impacted; N/A
- 17. The impact of the proposed project on the values and functions of the total wetland or wetland complex; The project has minor impacts, which should not substantially alter the total fitness of the surrounding wetlands.

### New Hampshire Department of Transportation Bureau of Highway Maintenance (District 4) Betterment Project, #411-2005-2


- 18. The impact upon the value of the sites included in the latest published edition of the National Register of Natural Landmarks, or sites eligible for such publication; A copy of the Dredge and Fill Application was sent to the NH Division of Historical Resources on March 22, 2005. If or when we receive comments from NHDHR we will forward these immediately to NHDES for inclusion in the permit application.
- 19. The impact upon the value of areas named in acts of congress or presidential proclamations as national rivers, national wilderness areas, national lakeshores, and such areas as may be established under federal, state, or municipal laws for similar and related purposes such as estuarine and marine sanctuaries; N/A
- 20. The degree to which a project redirects water from one watershed to another. N/A



Copyright (C) 2002, Maptech, Inc.



# Plan close-up



# Wetland Impact Summary close-up

,		AREA				
USFWS	LOCATION	N.H.W.B	N.H.W.B. &	TEMPORARY		
WETLAND		(NON-WETLAND)	A.C.O.E.	IMPACTS		
CLASSIFICATION			(WETLAND)	5		
R2UB3H	A			985		
BANK.	В	1932	12	*		
R2UB3H	С	0.0	818			
PEM 1E	D		22			

PERMANENT IMPACTS: 2,772 SF
TEMPORARY IMPACTS: 985 SF


TOTAL: IMPACTS: 3,757 SF



NH 119 Fitzwilliam Looking Westbound toward Holman Road



NH 119 Fitzwilliam Looking Eastbound toward Fitzwilliam



NH 119 Fitzwilliam Looking Eastbound at Northside ditchline drainage



NH 119 Fitzwilliam Proposed shoulder work and setting back of ditchline Oct 2004



Holman Road Fitzwilliam Looking Northbound

Change Y to T intersection



Holman Road Center Island Drainage

Oct 2004



View of Stone Box Inlet (looking south)

Fitzwilliam NH 119



View of Stone Box Outlet



View of Stone Box Outlet (looking north)

Fitzwilliam NH 119



View of Corrugated Metal Pipe Outlet

# Chapter 3—Application Distribution

## Distribution of the Permit Application

Once it has been determined that an application package is complete, copies of the package need to be made and cover letters need to be printed. The permit classification, applicant, and other special considerations determine the number of copies that are required (see Table 2). Unless otherwise specified in Table 2, copies should be made in black and white. Permit application amendments are mailed to the same entities as the original application. Amendments to permits that have already been issued are discussed in Section II.

Cover letters are written for the town clerk and NHWB. Sample letters can be found on the BOE S:\drive (s:\wetlands\App & Permit letters Oct 2005), along with the list of mailing addresses for NH town clerks. Letters for each project should be saved in the project's folder on the S:\drive (s:\projects\owner\project#\wetlands). The project and wetlands folders may need to be created at this time. Examples of typical town and NHWB letters follow Table 2. The NHWB letter is inter-department communication and, therefore, is printed on yellow paper. The town letter is printed on NHDOT letterhead and is sent via certified mail.

Table 2: Required Copies of Application Package

		<b>A</b> pplicant			
Permit	Entity	Turnpikes	District	Bridge	Design
Туре		-		Maint.	
MINIMUM	NHWB	Original	Original	Original	Original
	BOE	1 (color)	1 (color)	1 (color)	1 (color)
	Town(s)	4 per town	4 per town	4 per town	4 per town
	Construction	-	-	-	1
	Env. Coordinator-BOE	-	-	-	1
	River Advisory Comm**	1	1	1	1
	Natl Marine Fisheries***	1	1	1	1
MINOR	NHWB	Original	Original	Original	Original
& MAJOR	BOE	1 (color)	1 (color)	1 (color)	1 (color)
	Town(s)	4 per town	4 per town	4 per town	4 per town
	Construction	-	-	-	1
	Env. Coordinator -BOE	-	-	-	1
	NH Fish & Game	1	1	1	1
	NH Dept Historical Res	1	1	1	-
	US Fish & Wildlife	1	1	1	-
	EPA	1	1	1	-
	ACOE	1	1	1	1
	River Advisory Comm**	1	1	1	1
	Natl Marine Fisheries***	1	1	1	1

<sup>\*\*</sup>The local river advisory committee gets one copy of the application package if the project is within a ¼ mile of a designated river (see Section 3).

<sup>\*\*\*</sup>The National Marine Fisheries gets one copy of the application package if the project is located in Essential Fish Habitat (see Section 3).

# Cover Letters Example: NHWB Cover Letter

# STATE OF NEW HAMPSHIRE INTER-DEPARTMENT COMMUNICATION

DATE:

November 15, 2005

FROM:

Dennis J. Danna

AT (OFFICE):

Department of

Chief, Technical Services Section

Dredge & Fill Application

Transportation

Hanover, 13935

Bureau of Environment

TO

**SUBJECT** 

Gino Infascelli, Public Works Permitting Officer

New Hampshire Wetlands Bureau 29 Hazen Drive, P.O. Box 95 Concord, NH 03302-0095

Forwarded herewith is the application package prepared by NH DOT Bureau of Bridge Design for the subject Minor Impact project. This project is classified as minor due to the total linear feet of impacts to both wetlands and banks. The project consists of replacing the existing bridge with a structure of similar dimensions along NH Route 10 in the town of Hanover, NH. The need for this replacement is indicated by multiple deficiencies throughout the length of the bridge. A copy of the environmental document will be sent to the Wetlands Bureau as soon as it becomes available.

The lead people to contact for this project are Robert Aubrey, Bridge Design, (271-2731 or raubrey@dot.state.nh.us) or Jon Evans, Environmental Manager, Bureau of Environment (271-4048 or jevans@dot.state.nh.us).

Enclosed is a copy of a payment voucher for this application.

If and when this application meets with the approval of the Bureau, please send the permit directly to Dennis Danna, Chief of Technical Services, Bureau of Environment.

DJD: jae

Enclosures

cc:
NH DOT Bureau of Construction
NH DOT Bureau of Environment – Craig Drouin
NH Fish and Game
US Army Corp of Engineers
EFH/NMFS (NOAA Fisheries Service)

S:\PROJECTS\DESIGN\13935\Wetlands\WETAPP - Bridge Design.doc

### Example: Town Clerk Cover Letter



# THE STATE OF NEW HAMPSHIRE DEPARTMENT OF TRANSPORTATION



CAROL A. MURRAY, P.E.

Commissioner

November 15, 2005

#### VIA CERTIFIED MAIL

Julia N. Griffin Town Clerk Of Hanover Po Box 483 Hanover, NH 03755

Dear Julia Griffin:

Re: Dredge and Fill Application Hanover, 13935

As required by Chapter 482-A: 3, New Hampshire Revised Statutes Annotated, enclosed are four copies of the referenced Dredge and Fill Application, project location map and detailed plans, which have been submitted today to the NH Wetlands Bureau. The application copies are provided for your use in complying with the requirement that Town and City Clerks distribute one copy, each, as appropriate to the Conservation Commission, Planning Board and Board of Selectmen (and Mayor or City Manager). The fourth set should be retained by your office and made reasonably accessible to the public. Inasmuch as applications for public projects by agencies of the state are filed directly with the Bureau, and additional, separate notification of abutters is not required, no further action is required on your part with respect to mailing or retention of postal receipts relative to this application.

Very truly yours,

Dennis J. Danna, Chief Technical Services Section Bureau of Environment Room 160-Tel. 271-3226

DJD: jae Enclosures c.c. NH Wetlands Bureau

s:\projects\design\13935\wetlands\hanover twn\_clk.doc

JOHN O. MORTON BUILDING - 7 HAZEN DRIVE - P.O. BOX 483 - CONCORD, N.H. 03302-0483
TELEPHONE: 603-271-3734 - FAX: 603-271-3914 - TDD ACCESS: RELAY NH 1-800-735-2964 - WWW.NHDOT.COM

## Chapter 4—Database

Every wetland permit application is recorded in the BOE's "WET\_PERM" database (see Fig. 1), which can be found at s:\projects\0\_index. When the application is received, the office manager enters the project's state number (STATE\_NO) and the date of receipt (AP\_REC). The application is then given to the Chief of the Technical Services Section for assignment. Once assigned, the BOE staff person must enter the following information into the database:

- 1) To find the project in the database, enter the state number in the top left yellow box and hit enter, or scroll through the pull-down list to find the correct project number. District projects that have a state number beginning with the letter "M" are entered into the database with the current year first ("2006M\_\_\_").
- 2) CLASS: minimum, minor, major, or expedited
- 3) TYPE: This will usually be "SPGP". Other options include emergency, individual, amendment (AMEND1 through AMEND10), permit by notification, and routine roadway maintenance.
- 4) OWNER: The application's owner (District 1 6, Highway Design, Bridge Maintenance, etc)
- 5) TARGET DATE: Enter a date one month prior to the target date on the application.
- 6) IMPACTS:

ACOE IMPACT AREA: permanent wetland impacts

NHWB IMPACT AREA: permanent bank impacts (or other non-wetland jurisdictional areas, such as sand dunes and tidal buffer zone)

TEMPORARY IMPACT AREA: temporary impacts to wetlands and banks

Enter 0 when there are no impacts in a certain category. Linear impacts are not entered into the database.

7) QUICK MATH: The "Quick Math" button should be clicked to calculate IMPACTED AREA (the total area of all impacts) and PERMIT COST (the filing fee). The calculated area of all impacts should match the area given on the wetland application.

Once this information is entered into the database, a post-it note should be attached to the NHWB cover letter with the permit class, total impact area, and filing fee.

Application amendments should be entered into a second form in the project's record. To create this second form, first open the project's record by finding its state number and hitting enter. Then click on the hand pointing to the right. This will open a blank form in the record.




Fig.1 Wetland Permits (Wet\_Perm) Database

### Chapter 5—Final Steps

Cover letters should be clipped to the appropriate number of copies. The entire package is then given to the Chief of the Technical Services Section, who will sign the letters and give the package to the Office Manager for mailing.

The Office Manager is responsible for including a payment voucher for the filing fee with each application. This cost is calculated by the database as discussed in Chapter 4. The current fee schedule can be reviewed at the DES website: <a href="http://www.des.state.nh.us/wetlands/Julv03">http://www.des.state.nh.us/wetlands/Julv03</a> newFees.htm.

When the NHWB receives the application, it will be reviewed for completeness. If the application package is complete, a "Notice of Administrative Completeness" is sent to the BOE via email within 14 days of receipt by the NHWB. The application is then sent to the Public Works Permitting Officer within the NHWB.

Occasionally, after the Permitting Officer reviews an application, a request for more information will be sent to the BOE. This request must be made within 75 days of the issuance of the notice of administrative completeness for projects with less than one acre of impacts or within 105 days for all other projects. This request should be answered by the BOE as soon as possible, although responses are allowed up to 120 days following the request for more information. (RSA 482-A:3). The date that the request for information is received and the date the request is filled must be entered into the WET\_PERM database.

According to RSA 482-A:3, the NHWB must approve or deny the application within 30 days of receiving what was requested in the request for more information. If no request for more information is issued, then the NHWB must approve or deny the application within 75 days of the issuance of the notice of administrative completeness if impacts are less than one acre, or within 105 days if impacts are greater than one acre.

### Section II—The Permit

# Chapter 1—Permit Details

Under the State Programmatic General Permit, projects must go through different ACOE approval procedures depending on the permit classification:

<u>Major</u> projects must have written authorization from the ACOE before any work in wetlands can begin. The ACOE has 30 days from the date of NHWB permit issuance to send written authorization. Upon receiving the NHWB permit for a major project, the BOE generally faxes the project's plans and NHWB permit to the ACOE with a cover letter asking for written confirmation of SPGP.

<u>Minor</u> projects may proceed after 30 days from the date of NHWB permit issuance, without written authorization from the ACOE. If the project needs to begin prior to the end of this 30-day waiting period, the BOE can contact the ACOE via phone or email to ask for confirmation of SPGP.

Minimum projects may proceed as soon as the NHWB permit is issued.

Every NHWB permit is issued with a list of project-specific and general conditions. These should be reviewed prior to distributing the permit so that the permit owner can be made aware of any unusual conditions.

The duration of the NHWB wetlands permit is five years from the date of issuance. No time extensions are allowed unless an ACOE Individual Permit has been issued for the project, in which case the duration of the NHWB permit can be extended to ten years.

# Chapter 2—Permit Distribution

When the BOE receives a wetlands permit for a Bureau within the J. O. Morton Building, the permit should be taken to the appropriate person to sign. The BOE then completes the Permit Distribution Checklist (s:\wetlands\App & Permit letters Oct 2005\Permit Distribution) and this checklist is sent to the applicant with two copies of the signed permit. One copy is also sent to the Bureau of Construction and one copy is given to the Environmental Coordinator in the BOE. The original permit is filed in the BOE Wetlands File.

When a permit for a District project is received, the checklist is completed and sent to the District with two copies of the unsigned permit. The original permit is filed in the BOE Wetlands File and the District returns one signed copy for the file.

Examples of a Permit Distribution Checklist and NHWB wetlands permit follow this section.

When a permit is received, the database is updated by the BOE Office Manager, who records the date the permit was issued by the NHWB (ISSUED), the date the permit was received by the BOE (PR\_REC), and the date the permit was sent to the applicant (PR\_SENT).

#### **Example: Permit Distribution Checklist**

# STATE OF NEW HAMPSHIRE INTRA-DEPARTMENT COMMUNICATION

DATE June 27, 2006 FROM Christine Perron AT (OFFICE) Bureau of Environment **Environmental Manager** SUBJECT Wetland Bureau Permit # 2005-02772 Hanover, 13935 TO Mark Richardson, Bureau of Bridge Design (271-2731) Forwarded herewith, for your files and further use as appropriate, are two copies of the subject permit as approved by the Wetlands Bureau and the Water Division on January 26, 2006. Please note specific conditions on permit. **TERRAIN ALTERATION** Note that the non-site specific permit (RSA 485-A: 17 "Terrain Alteration") is part of this Wetlands Bureau Permit. WATER QUALITY CERTIFICATION  $\boxtimes$ This permit covers the project's consideration for Water Quality protection and no further action is required by this office. This permit does not cover the Water Quality protection for this project. However, a Water Quality Permit will be obtained for this project. CORPS PERMIT STATUS No Corps Jurisdiction SPGP (Minimum Impact) - No waiting period; no Corps approval required  $\boxtimes$ SPGP (Minor Impact)-Wait 30 days from NHWB issuance date; no written approval from Corps required SPGP (Major Impact)-Wait 30 days from NHWB issuance date; written approval from Corps Emergency - No waiting period; No written approval from Corps required Amendment - No waiting period; No written approval from Corps required Corps Individual Permit Required COASTAL ZONE MANAGEMENT (CZM) STATUS Outside of Coastal Zone-consistency finding not necessary from OSP X Within Coastal Zone (Non-Federal Action)-consistency finding not necessary form OSP Within Coastal Zone (Federal Action)-if covered by SPGP, or no Corps' jurisdiction, consistency finding is automatic from OSP Within Coastal Zone (Federal Action)-if individual Corps permit, written consistency finding is necessary from OSP **EROSION CONTROL PLAN STATUS** Erosion Control Plan Required; Submit Erosion Control Plan to DES Wetlands Bureau (see Condition #2) If you have any questions, please call 271-3717.

S:\PROJECTS\DESIGN\13935\Wetlands\Permit Distribution doc

cc: Bureau of Construction
Bureau of Environment - Craig Drouin

CJP:cjp

### Example: NHWB Wetlands Permit



# The State of New Hampshire Department of Environmental Services



Michael P. Nolin Commissioner

# WETLANDS AND NON-SITE SPECIFIC PERMIT 2005-02772

Permittee: Project Location: NH Dept of Transportation, PO Box 483, Concord, NH 03301 NH Rte 10, Hanover

Hanover Tax Map/Lot No.

Waterbody: Mink Brook

NO.

CONDITIONS

APPROVAL DATE: 01/26/2006

Page 1 of 2 EXPIRATION DATE: 01/26/2011

Based upon review of the above referenced application, in accordance with RSA 482-A and RSA 485-A:17, a Wetlands Permit and Non-Site Specific Permit was issued. This permit shall not be considered valid unless signed as specified below.

**PERMIT DESCRIPTION:** Replace 44 ft. wide bridge with the same width and same span or longer and relocate utility poles impacting 2,501 sq. ft. of stream, banks and emergent wetland (976 sq. ft. temporary). NHDOT project #13935.

#### THIS APPROVAL IS SUBJECT TO THE FOLLOWING PROJECT SPECIFIC CONDITIONS:

- 1. All work shall be in accordance with plans by NHDOT Bureau of Bridge Design dated 03-JAN-06, as received by the Department on January 9, 2006.
- 2. This permit is contingent upon the submission of a project specific stream diversion and erosion control plans to the Hanover Conservation Commission for review and comment and to the DES Wetlands Bureau for review and approval. Those plans shall detail the timing and method of stream flow diversion during construction, and shall show the temporary siltation, erosion and turbidity control measures to be implemented.
- 3. Dredged material shall be placed out of the DES Wetlands Bureau jurisdiction.
- 4. Unconfined work within the river, exclusive of work associated with installation of a cofferdam, shall be done during periods of low flow.
- 5. Cofferdams shall not be installed during periods of high flow, whether due to seasonal runoff or precipitation. Once a cofferdam is fully effective, confined work can proceed without restriction.
- 6. Prior to commencing work on a substructure located within surface waters, a cofferdam shall be constructed to isolate the substructure work area from the surface waters.
- 7. Temporary cofferdams shall be entirely removed immediately following construction.
- 8. Construction equipment shall not be located within surface waters.
- 9. Discharge from dewatering of work areas shall be to sediment basins that are: a) located in uplands; b) lined with hay bales or other acceptable sediment trapping liners; and c) set back as far as possible from wetlands and surface waters, in all cases with a minimum of 20 feet of undisturbed vegetated buffer.
- 10. Appropriate turbidity controls shall be installed prior to construction, shall be maintained during construction such that no turbidity escapes the immediate dredge area, and shall remain until suspended particles have settled and the water at the work site has returned to normal clarity.
- 11. Within three days of final grading in an area that is in or adjacent to wetlands or surface waters, all exposed soil areas shall be stabilized by seeding and mulching during the growing season, or if not within the growing season, by mulching with tack or netting and pinning on slopes steeper than 3:1.
- 12. Where construction activities have been temporarily suspended within the growing season, all exposed soil areas shall be stabilized within 14 days by seeding and mulching.
- 13. Where construction activities have been temporarily suspended outside the growing season, all exposed areas shall be stabilized within 14 days by mulching and tack. Matting and pinning shall stabilize slopes steeper than 3:1.

P.O. Box 95, 29 Hazen Drive, Concord, New Hampshire 03302-0095 Telephone: (603) 271-2147 • Fax: (603) 271-6588 • TDD Access: Relay NH 1-800-735-2964

DES Web site: www.des.nh.gov

Page 2 of 2 2005-2772 Conditions Cont'd

- 14. The contractor responsible for completion of the work shall utilize techniques described in the DES Best Management Practices for Urban Stormwater Runoff Manual (January, 1996) and the Stormwater Management and Erosion and Sediment Control Handbook for Urban and Developing Areas in New Hampshire (August, 1992).
- 15. Extreme precautions to be taken within riparian areas to limit unnecessary removal of vegetation during road construction and areas cleared of vegetation to be revegetated as quickly as possible.
- 16. There shall be no further alteration to wetlands or surface waters without amendment of this permit.
- 17. Standard precautions shall be taken to prevent import or transport of soil or seed stock from nuisance, invading species such as purple loosestrife or Phragmites.
- 18. The impacts associated with the temporary work shall be restored immediately following construction.
- 19. Matting, fabric and other preventative measures shall be incorporated into the Erosion Control Plan to assure any excess material will be removed and the temporary impact areas are restored wherever utilities are relocated.
- 20. Any work beyond the ROW shall be approved by the owners prior to construction.

#### GENERAL CONDITIONS WHICH APPLY TO ALL DES WETLANDS PERMITS:

- 1. A copy of this permit shall be posted on site during construction in a prominent location visible to inspecting personnel;
- 2. This permit does not convey a property right, nor authorize any injury to property of others, nor invasion of rights of others;
- 3. The Wetlands Bureau shall be notified upon completion of work;
- 4. This permit does not relieve the applicant from the obligation to obtain other local, state or federal permits that may be required (see attached form for status of federal wetlands permit);
- 5. Transfer of this permit to a new owner shall require notification to and approval by the Department;
- 6. This permit shall not be extended beyond the current expiration date.
- 7. This project has been screened for potential impacts to **known** occurrences of rare species and exemplary natural communities in the immediate area. Since many areas have never been surveyed, or have received only cursory inventories, unidentified sensitive species or communities may be present. This permit does not absolve the permittee from due diligence in regard to state, local or federal laws regarding such communities or species.
- 8. The permittee shall coordinate with the NH Division of Historic Resources to assess and mitigate the project's effect on historic resources.

APPROVED: Men Infacella
DES Wetlands Bureau

BY SIGNING BELOW I HEREBY CERTIFY THAT I HAVE FULLY READ THIS PERMIT AND

AGREE TO ABIDE BY ALL PERMIT CONDITIONS.

My Mine

OWNER'S SIGNATURE (required)

CONTRACTOR'S SIGNATURE (required)

# Chapter 3—Permit Amendments

If impacts to wetlands are expected to increase and a permit has already been issued for the project, then a permit amendment must be requested. This request can be made in a letter to the NHWB and does not require the submittal of a new application form. The amendment request should describe all changes to the project's design, as well as the total increase in proposed impacts. A revised plan should be included with the letter. Amendment requests are processed by the BOE.

Requests for permit amendments should be mailed to the same entities as the original application. However, instead of sending four copies to the town clerk, one copy should be sent directly to the town's conservation commission (certified mail not required).

# Section III—Special Considerations for Classifying Permits

# Chapter 1—Designated Rivers

According to the website of the NH Department of Environmental Services, a Designated River is a river that is "managed and protected for its outstanding natural and cultural resources in accordance with RSA 483 – The Rivers Management & Protection Act". New Hampshire has fourteen Designated Rivers (list and map are below).

When a project is located within 0.25 miles of a Designated River, a copy of the wetland permit application package is sent to the local river advisory committee. Updated contact information for these committees can be found at: <a href="http://www.des.state.nh.us/rivers/lac.asp?theLink=cc">http://www.des.state.nh.us/rivers/lac.asp?theLink=cc</a>. Mailing addresses are on file at the BOE.

### Designated Rivers—Start/End Points and Affected Municipalities:

### **Ashuelot River**

From the dam at Butterfield Pond in Washington to the confluence with the Connecticut River in Hinsdale. Municipalities: Washington, Lempster, Marlow, Gilsum, Sullivan, Surry, Keene, Swanzey, Winchester, and Hinsdale.

#### **Cold River**

From the outlet of Crescent Lake Dam in Acworth to its confluence with the Connecticut River in Walpole. Municipalities: Acworth, Lempster, Langdon, Alstead, and Walpole.

### **Connecticut River**

From the outlet of Fourth Connecticut Lake to the New Hampshire/Massachusetts state line. Municipalities: Pittsburg, Clarksville, Stewartstown, Colebrook, Columbia, Stratford, Northumberland, Lancaster, Dalton, Littleton, Monroe, Bath, Haverhill, Piermont, Orford, Lyme, Hanover, Lebanon, Plainfield, Cornish, Claremont, Charlestown, Walpole, Westmoreland, Chesterfield, and Hinsdale.

### **Contoocook River -** *Mainstem and North Branch*

Mainstem – From the outlet of Poole Pond in Rindge to the confluence with the Merrimack River at the Boscawen/Concord municipal boundary. North Branch – From the outlet of Rye Pond in Stoddard to the confluence of the Contoocook River in Hillsborough. Municipalities: Rindge, Jaffrey, Peterborough, Hancock, Greenfield, Bennington, Stoddard, Antrim, Deering, Hillsborough, Henniker, Hopkinton, Concord, and Boscawen.

#### **Exeter River**

From the headwaters at the Route 102 bridge in Chester to its confluence with Great Brook in Exeter. Municipalities: Chester, Sandown, Danville, Fremont, Raymond, Brentwood, and Exeter.

### **Isinglass River**

From the outflow of Bow Lake Dam in Strafford to its confluence with the Cocheco River in Rochester. Municipalities: Strafford, Barrington, and Rochester.

### Lamprey River

From the Epping/Lee town line to the Durham/Newmarket town line. Municipalities: Lee and Durham.

### **Merrimack River** - Lower

From the Bedford/Merrimack town line to the New Hampshire/Massachusetts state line. Municipalities: Merrimack, Litchfield, Nashua and Hudson.

### Merrimack River - Upper

From the confluence of the Winnipesaukee and Pemigewasset Rivers in Franklin to Garvins Falls in Bow. Municipalities: Franklin, Northfield, Boscawen, Canterbury, Concord, and Bow.

### **Pemigewasset River**

From the outlet of Profile Lake in Franconia Notch State Park to the southern boundary of Franconia Notch State Park and from the northernmost Thornton town line to the confluence with the Merrimack River in Franklin. Municipalities: Franconia Notch State Park, Franconia, Thornton, Campton, Plymouth, Holderness, Ashland, Bridgewater, New Hampton, Bristol, Hill, Sanbornton, and Franklin.

### **Piscataquog River -** South, Middle, and North Branches

North Branch—From the outlet of Deering Lake Dam in Deering to the confluence with the South Branch in Goffstown (omitting Lake Horace and Everett Flood Control Area). South Branch—From the outlet of Pleasant Pond in Francestown to the river's mouth at Bass Island in Manchester. Middle Branch—From the outlet of Scobie Pond in Francestown to the confluence with the South Branch in New Boston. Municipalities: Deering, Weare, New Boston, Francestown, Lyndeborough, Goffstown, and Manchester.

#### Saco River


From the base of Saco Lake dam in Crawford Notch State Park to the New Hampshire/Maine state line. Municipalities: Crawford Notch State Park, Harts Location, Bartlett, and Conway.

### Souhegan River

From the confluence of the south and west branches in New Ipswich to the confluence with the Merrimack River in Merrimack. Municipalities: New Ipswich, Greenville, Wilton, Milford, Amherst, and Merrimack.

### **Swift River**

From its headwaters in Livermore to its confluence with the Saco River in Conway. Municipalities: White Mountain National Forest, Livermore, Waterville Valley, Albany, and Conway.



# Chapter 2—Prime Wetlands

Prime wetlands are designated by towns in accordance with RSA 482-A:15 and Chapter Wt 700 of the DES administrative rules. As of May 2006, 22 towns have designated prime wetlands. It is important to note that all wetlands in these towns are not necessarily prime wetlands. The BOE has maps on file that show the locations of prime wetlands.

Any project with wetland impacts in or within 100 feet of a prime wetland is classified as a major project, per Administrative Rule 303.02(f). If a project is located in or contiguous to a prime wetland, the DES must hold a public hearing prior to approval of the application (Administrative Rule 703.03).

## **New Hampshire Towns with Designated Prime Wetlands:**

Andover Meredith Barrington Northwood Nashua Bow Brookline New London Derry Pelham Enfield Salem Exeter Sanbornton Fremont Sandwich Gilford Tamworth Holderness Weare Hooksett Wolfeboro

# Chapter 3—Essential Fish Habitat

Essential Fish Habitat (EFH) includes rivers, streams, lakes, and bays that are "necessary to a species' spawning, breeding, feeding, or growth to maturity". The determination of EFH is required by the Magnuson-Stevens Fishery Conservation and Management Act of 1996, and is overseen by the National Marine Fisheries Service of the National Oceanic and Atmospheric Administration (NOAA).

When a project is located within EFH (impacting the channel or banks), a copy of the wetland permit application package is sent to the Northeast Region of the National Marine Fisheries Service. Contact information is on file at the BOE. A list of EFH in New Hampshire begins on the following page.

# **Essential Fish Habitat**

Ash Swamp Brook
Ammonoosuc River

Ames Brook Arlin Brook Allen Brook

Androscoggin River Austin Mill Brook Artist Brook Albany Brook Avalanche Brook

Beaver Brook(Sugar River) Beaver Brook (Cold River) Beaver Brook (Mohawk River)

Bloods Brook
Burton Brook
Bendell Brook
Bill Little Brook
Bowman Brook
Baker Brook
Burnham Brook

Brickyard Brook Browns Brook

Bow Bog Brook Bow Brook

Bryant Brook Bennett Brook Bradleys Island Bean Brook

Bog Brook Bear Brook Barlett Brook

Benis Brook Beech River Bearcamp River

Connecticut River

Cobb Brook
Cold River

Bear Brook

Coleman Brook
Clark Brook
Carter Brook
Conmary Brook
Cone Brook

Cow Brook Carpenters Brook

Carpenters Brook Chase Brook Cohas Brook Chandler Brook
Contoocook River

Cold Brook Cross Brook Cate Brook Conner Brook Clement Brook

Cascade Alpine Brook Chickwolnepy Stream

Clear Stream Conway Lake Cocheco River

Dyer Brook

Dalton Brook

Dead River

Davis Brook

Eastman Brook East Brook Echo Lake

East Branch Saco River

Ellis River

Flume Cascade

Governors Brook Great Brook Gully Brook Grant Brook

Giles Pond-Salmon Brook

Gates Brook Goose Pond Glines Brook

Hubbard Brook Hackett Brook Hewes Brook

Hunt Mountain Brook

Horseshoe Pond-Naticook Brook

Hayward Brook Horseshoe Island Horne Brook

Israel River Island Brook

Johns River Josh Brook Kimball Brook Knox Brook Kidder Brook Kendron Brook Kearsarge Brook

Leavitt Stream
Liscomb Brook
Little Sugar River
Lyman Brook
Little Cohas Brook
Leadmine Brook
Lucy Brook
Lamprey River

Mill Brook

Mascoma River

Mink Brook

Moore Brook

Mohawk River

Merrimack River

Messer Brook

Millstone Brook

Moose River

Moose Brook

Moose Pond

Munn Pond

Mollidgewock Brook

Mason Brook

Mountain Brook

Nashua River Nesenkeag Brook Needle Shop Brook Nancy Brook

Meadow Brook

Ox Brook Oliverian Brook Ossipee River

Partridge Brook
Petes Brook
Potter Brook
Pointer Club Brook
Piscataquog River
Penacook Lake
Punch Brook
Peabody Brook
Pea Brook
Perkins Brook

### Pemigewasset River

Razor Brook

Rocky Branch
Rattle River
Roaring Brook (Ammonoosuc River)
Roaring Brook (Israel River)
Riddle Brook
Ray Brook

Sprague Brook Smith Brook Sugar River Slade Brook Scarritt Brook Smarts Mill Brook Simms Stream Second Brook Souhegan River Sawmill Brook South Branch River Soucook River Stirrup Iron Brook Shaw Brook Stony Brook Sessions Brook Stearns Brook Smoky Camp Brook Swift River Sawyer River Sleeper Brook

Saco River
Sweatt Brook
Suncook River
The Gulf

The Gulf Tannery Brook Turkey River Tinker Brook

# Upper Ammonoosuc River

Umbagog Lake

Walker Brook Watts Brook Weeks Brook Woods Brook Willey Brook

Winnepesaukee River

# Section IV—Glossary

**Bank**<sup>1</sup> - the transitional slope immediately adjacent to the edge of a surface water body (stream, river, lake, or pond).

**Bog<sup>1</sup>** - a wetland distinguished by stunted evergreen trees and shrubs, peat deposits, poor drainage, and/or highly acidic soil and/or water conditions.

**Highest observable tideline**<sup>2</sup> - a line defining the farthest landward limit of tidal flow, not including storm events, that can be recognized by indicators such as the presence of a strand line of flotsam and debris, the landward margin of salt tolerant vegetation, or a physical barrier that blocks farther flow of the tide.

**Intermittent stream**<sup>1</sup> - a stream that flows for sufficient time to develop and maintain a scoured channel, but which might not flow during dry portions of the year.

Marsh<sup>2</sup> - a wetland that is distinguished by the absence of trees and shrubs and is dominated by soft-stemmed herbaceous plants such as grasses, reeds, and sedges; the water table is at or above the surface throughout the year, but can fluctuate seasonally.

**Ordinary high water**<sup>3</sup> - the line on the shore, running parallel to the main stem of the river, established by the fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the immediate bank, shelving, changes in the character of soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas.

**Perennial stream**<sup>1</sup> - a watercourse that flows throughout the year or nearly so in a well defined channel.

**Permanent impact** – any impact that permanently alters a wetland or other jurisdictional area

**Public waters**<sup>3</sup> - all fresh water bodies listed in the official list of public waters published by the DES, whether they are great ponds or artificial impoundments; coastal waters, being all waters subject to the ebb and flow of the tide; and rivers, meaning all year-round flowing waters of fourth order or higher, as shown on the now current version of the U.S. Geological Survey 7 ½' topographic maps.

**Rip-rap<sup>2</sup>** - cobble-sized and boulder-sized rocks placed on a bank to prevent erosion.

Sand dune<sup>1</sup> - a hill or ridge of sand piled up by the wind and commonly found on the seacoast

**Swamp**<sup>1</sup> - a wetland that is dominated by trees.

**Temporary impact** – any impact that effects a wetland temporarily; after construction, the wetland remains in its original state.

**Tidal buffer zone**<sup>1</sup> - the area extending landward 100 feet from the highest observable tide line. This area may contain wetlands, transitional areas, or natural and developed upland areas.

**Tidal flat<sup>2</sup>** - a relatively level landform composed of unconsolidated mineral and organic sediments, usually continuous with the shore, and that is alternately flooded and exposed by the tides.

Top of bank<sup>1</sup> - the upper limit of the bank, usually defined by a break in slope.

**Upland<sup>2</sup>** - an area of land that is not a NHWB jurisdictional area.

**Wetland<sup>2</sup>** - an area that is inundated or saturated by surface or ground water at a frequency and duration sufficient to support and that under normal conditions does support, a prevalence of vegetation typically adapted for life in saturated soil conditions.

<sup>&</sup>lt;sup>1</sup> Definitions from: http://www.des.state.nh.us/wetlands/guidebook/sect2.htm

<sup>&</sup>lt;sup>2</sup> Definitions from: http://www.des.state.nh.us/rules/wt100-800.pdf

<sup>&</sup>lt;sup>3</sup> Definitions from: http://www.des.state.nh.us/cspa/483b.htm